

PHILIPS

Monitors

2021



Home use
Collection

Meet our Home solutions

The Philips monitors home use range provides users with a rich and varied choice of displays inspired by today's vibrant and diverse lifestyles.

From amateur photographers to expert e-shoppers, from movie buffs to gaming fans, from families seeking to share some quality time together to freelancers seeking to marry work with pleasure, Philips monitors have the perfect solution. Stylish and feature-rich, these monitors are designed for the way you live.

V line

Basic design with reliable and essential features from a trusted brand. High value-to-price ratio is important for this user segment. This user requires only essential features to support daily home PC use. Due to the competitive nature of this segment, basic and approachable design, with strong brand recognition, and quality build is important for differentiation.

E line

Enhanced mainstream design with better picture quality

The Philips E Line monitors feature stunning visuals and stylish design for your workspace. Ultra-clear 4K UHD and Ultra Wide-color delivers ultimate clarity and life-like visuals, while the ergonomic stand design provides optimal viewing conditions. MultiView meets the need for usability and productivity.

C Line (Moda)

Leading edge design with best picture quality

The C Line Philips monitor gives crisp 4K and lifelike visuals with DisplayHDR400 certified. Trimmed with all ports, one-cable USB-C and simple cable management design for a clean set-up. SmartErgo base for ergonomic adjustments.

M line

Take console gaming to the next level

The Momentum line-up invites users to experience gaming like never before. These monitors provide console gamers with the latest display innovations, offering an exciting, high-performance alternative to plugging your console into your TV. Momentum is the next evolutionary step for console gaming displays.

Contents

04

Crystal Clear Images

16

Get In The Moment

24


Product matrix

12

Gear Up

20

Ultimate Immersion



CrystalClear images

UltraClear 4K UHD

Reveal the finest details

With 3840x2160 resolution, UltraClear 4K UHD delivers four times the precision of Full HD.

These monitors offer the ultimate combination of size, picture clarity and performance.

Utilizing **high performance panels** with high density pixel count, enabled by **high bandwidth sources** like DisplayPort, HDMI, Dual link DVI, these new displays will make **your images and graphics come alive**.

Quad HD

A clearer way to get things done

Experience **ultra-sharp imagery** in stunning 2560x1440 resolution with Quad HD displays designed to boost your productivity.

With excellent display **colours up to 1.07 billion**, you can now enjoy **professional true colour sRGB** images compared to limited 16.7 million display colours.

Its **higher brightness and lower power consumption** relative to conventional wide view angle displays ensure you always have **brilliant performance**, while **saving energy** too. It's best suited for professional applications like CAD.





MODEL NUMBER	276C8	279C9	559M1RYV	558M1RY
Screen size	27 inch/68.47 cm	27 inch/68.6 cm	55 inch/193.7 cm	55 inch/193.7 cm
PICTURE/DISPLAY				
LCD Panel type	IPS	IPS	VA	VA
Backlighting	WLED	WLED	WLED	WLED
Optimum resolution	2560 x 1440@75Hz	3840 x 2160@60Hz	3840 x 2160@120Hz	3840 x 2160@120Hz
Aspect ratio	16:9	16:9	16:9	16:9
Viewing angle (CR10)	178/178	178/178	178/178	178/178
Brightness (cd/m ²)	350	400	1000	1200
Contrast ratio (typical)	1000:1	1300:1	4000:1	4000:1
Smart Contrast ratio	Mega Infinity DCR	Mega Infinity DCR	Mega Infinity DCR	Mega Infinity DCR
Smart Response time (ms)	4	5	1	1
Pixel pitch (mm)	0.233 x 0.233	0.1554 x 0.1554	0.315x.0315	0.315x.0315
Colour Gamut (NTSC/sRGB/AdobeRGB/DCI-P3)	114%/131%	100%/112%	TBC	105%/125%
CONNECTIVITY				
VGA/HDMI/Display Port	-/2/-	-/2/-	-/3/1	-/3/1
DVI	-	-	-	-
USB	-	4	4	4
USB-C	1	1	1	-
USB Docking	-	-	-	-
PC audio-in	-	-	-	-
Headphones out	Yes	Yes	Yes	Yes
FEATURES				
Speakers	-	-	Yes	Yes
Webcam/microphone	-	-	-	-
Multi view	-	-	TBC	Yes
Blue Mode	LowBlue	LowBlue	LowBlue	LowBlue
FlickerFree	Yes	Yes	Yes	Yes
PHYSICAL SPECS/ERGONOMICS				
Smart Ergo Base	-	-	-	-
Height adjustment (mm)	-	130	-	-
Pivot (90 degree)	-	Yes	-	-
Swivel (degree)	-	-85/85	-	-
Tilt (degree)	-5/20	-5/20	-5/10	-5/10
Weight with stand (kg)	4.26	5.85	TBC	26.5
Dimensions with stand W×H×D (mm)	611 x 455 x 185	612 x 527 x 218	TBC	1232 x 834 x 308
Dimension without stand W×H×D (mm)	611 x 362 x 20	612 x 353 x 39	TBC	1232 x 715 x 102
VESA mount (mm)	-	100 x 100	200 x 200	200 x 200
ENERGY EFFICIENCY				
Power/Light Sensor	-	-	-	-
On mode (W)	21.58	25.72	TBC	122.9
Standby mode (W)	0.5	0.5	<0.5	<0.5
Off mode (W)	0.3	0.3	<0.3	<0.3
Power supply	External	External	Internal	Internal
APPROVALS				
Energy Star	-	8.0	-	-
EPEAT	-	-	-	-
TCO Certified/TCO Certified Edge	8.0/Yes	-/-	-/-	-/-
Safety	TUV GS	TUV GS	TUV Bauart	TUV Bauart
WHAT'S IN THE BOX				
Power cable included	1	1	1	1
VGA cable included	-	1	-	-
DVI cable included	-	-	-	-
HDMI cable included	1	1	1	1
DisplayPort cable included	-	1	1	1
Audio cable included	-	-	-	-
USB cable included	USB C to C	USB C to C	1	1



329M1RV	279M1RV	278M1R	436M6VBPAB	326M6VJRGB
31.5 inch/80 cm	27 inch/68.6 cm	27 inch/68.6 cm	43 inch/108 cm	31.5 inch/80 cm
PICTURE/DISPLAY				
IPS	IPS	IPS	MVA	MVA
WLED	WLED	WLED	WLED	WLED
3840 x 2160@144Hz	3840 x 2160@144Hz	3840 x 2160@60Hz	3840 x 2160@60Hz	3840 x 2160@60Hz
16:9	16:9	16:9	16:9	16:9
178/178	178/178	178/178	178/178	178/178
TBC	450	350	1000	600
TBC	1000:1	1000:1	4000:1	3000:1
TBC	Mega Infinity DCR	Mega Infinity DCR	50M:1	80M:1
1	1		4	4
		0.1554 x 0.1554	0.245 x 0.245	0.181 x 0.181
TBC	TBC	91%/105%/89%/TBC	119%/145%	114%/135%
CONNECTIVITY				
-/3/1	-/3/1	-/2/1	-/1/2	-/3/1
-	-	-	-	-
4	4	4	2	4
1	1	-	1	-
-	-	-	-	-
-	-	Yes	Yes	Yes
Yes	Yes	Yes	Yes	Yes
FEATURES				
Yes	Yes	Yes	Yes	Yes
-	-	-	-	-
TBC	TBC	Yes	Yes	Yes
LowBlue	LowBlue	LowBlue	LowBlue	LowBlue
Yes	Yes	Yes	Yes	Yes
PHYSICAL SPECS/ERGONOMICS				
		-	-	-
130	130	130	-	110
-	-	-	-	-
TBC	TBC	-33/33	-	-
TBC	TBC	-5/20	-5/10	-5/20
		6.74	14.71	7.21
		614 x 567 x 251	976 x 661 x 264	728 x 604 x 206
		614 x 370 x 75	976 x 574 x 63	728 x 432 x 58
100 x 100	100 x 100	100 x 100	200 x 200	100 x 100
ENERGY EFFICIENCY				
		-	-	-
TBC	TBC	35.1	62.69	40.57
<0.5	<0.5	<0.5	0.5	<0.5
<0.3	<0.3	<0.3	0.5	<0.3
External	External	External	Internal	External
APPROVALS				
-	-	-	-	-
-	-	-	-	-
- / -	- / -	8.0 / -	- / -	8.0 / -
TUV Bauart	TUV Bauart	TUV Bauart	TUV Bauart	TUV Bauart
WHAT'S IN THE BOX				
1	1	1	1	1
-	-	-	-	-
-	-	-	-	-
1	1	1	1	1
1	1	1	1	1
-	-	-	-	-
1	1	-	2	-



MODEL NUMBER	346E2CUAE	345E2AE	288E2UAE	288E2A
Screen size	34 inch/86.36 cm	34 inch/83.4 cm	28 inch/71.1 cm	28 inch/71.1 cm
PICTURE/DISPLAY				
LCD Panel type	VA	IPS	IPS	IPS
Backlighting	WLED	WLED	WLED	WLED
Optimum resolution	3440 x 1440 @100Hz	3440 x 1440@75Hz	3840 x 2160@60Hz	3840 x 2160@60Hz
Aspect ratio	21:9	21:9	16:9	16:9
Viewing angle (CR10)	178/178	178/178	178/178	178/178
Brightness (cd/m ²)	300	300	300	300
Contrast ratio (typical)	3000:1	1000:1	1000:1	1000:1
Smart Contrast ratio	Mega Infinity DCR	Mega Infinity DCR	Mega Infinity DCR	Mega Infinity DCR
Smart Response time (ms)	4	4	4	4
Pixel pitch (mm)	110 PPI	0.2316 x 0.2316	0.16x0.16	0.164 x 0.164
Colour Gamut (NTSC/sRGB/AdobeRGB/DCI-P3)	99.5%/121.3%	106.8%/120.3%	106.9%/119.7%	106.9%/119.7%
CONNECTIVITY				
VGA/HDMI/Display Port	0/1/1	0/2/1	0/1/1	0/2/1
DVI	-	-	-	-
USB	-	-	-	-
USB-C	1	-	-	-
USB Docking	-	-	-	-
PC audio-in	-	-	-	-
Headphones out	Yes	Yes	Yes	Yes
FEATURES				
Speakers	Yes	Yes	Yes	Yes
Webcam/microphone	-	-	-	-
Multi view	Yes	Yes	YES	Yes
Blue Mode	LowBlue	LowBlue	LowBlue	LowBlue
FlickerFree	Yes	Yes	Yes	Yes
PHYSICAL SPECS/ERGONOMICS				
Smart Ergo Base	-	-	-	-
Height adjustment (mm)	100	100	100	-
Pivot (90 degree)	-	-	-	-
Swivel (degree)	-	-	-	-
Tilt (degree)	-5/20	-5/20	-5/20	-5/20
Weight with stand (kg)	10.05	7.61	6.09	5.59
Dimensions with stand W×H×D (mm)	807 x 495 x 257	817 x 491 x 235	637 x 494 x 224	637 x 480 x 224
Dimension without stand W×H×D (mm)	807 x 367 x 110	817 x 365 x 49	637 x 367 x 41	637 x 367 x 4
VESA mount (mm)	100 x 100	100 x 100	100 x 100	100 x 100
ENERGY EFFICIENCY				
Power/Light Sensor	-	-	-	-
On mode (W)	31.81	26.09	27.6	27.6
Standby mode (W)	0.5	<0.5	0.5	<0.5
Off mode (W)	0.3	<0.3	0.3	<0.3
Power supply	Internal	External	External	External
APPROVALS				
Energy Star	8	8.0	8	8.0
EPEAT	-	-	-	-
TCO Certified/TCO Certified Edge	8.0/-	8.0 / -	8.0/-	8.0/-
Safety	GS	TUV Bauart	GS	TUV Bauart
WHAT'S IN THE BOX				
Power cable included	1	1	1	1
VGA cable included	-	-	-	-
DVI cable included	-	-	-	-
HDMI cable included	1	1	1	1
DisplayPort cable included	1	1	1	-
Audio cable included	-	-	-	-
USB cable included	1	-	-	-

MODEL NUMBER	272E2FA	275E2FAE	325E1C	328E1CA	278E1A
Screen size	27 inch/68.6 cm	27 inch/68.6 cm	31.5 inch/80 cm	31.5 inch/80 cm	27 inch/68.6 cm
PICTURE/DISPLAY					
LCD Panel type	IPS	IPS	VA	VA	IPS
Backlighting	WLED	WLED	WLED	WLED	WLED
Optimum resolution	1920 x 1080@75Hz	2560 x 1440@75Hz	2560 x 1440@75Hz	3840 x 2160@60Hz	3840 x 2160@60Hz
Aspect ratio	16:9	16:9	16:9	16:9	16:9
Viewing angle (CR10)	178/178	178/178	178/178	178/178	178/178
Brightness (cd/m ²)	350	350	250	250	350
Contrast ratio (typical)	1000:1	1000:1	3000:1	2500:1	1000:1
Smart Contrast ratio	Mega Infinity DCR	Mega Infinity DCR	Mega Infinity DCR	Mega Infinity DCR	Mega Infinity DCR
Smart Response time (ms)	1	1	4	4	4
Pixel pitch (mm)	0.311 x 0.311	0.233 x 0.233	0.272 x 0.272	0.182 x 0.182	0.155 x 0.155
Colour Gamut (NTSC/sRGB/AdobeRGB/DCI-P3)	97.4%/113,1%	101,6%/115,6%	102%/123%	97.8%/120.5%	-
CONNECTIVITY					
VGA/HDMI/Display Port	1/1/1	0/2/1	1/1/1	-/2/1	-/2/1
DVI	-	-	-	-	-
USB	-	-	-	-	-
USB-C	-	-	-	-	-
USB Docking	-	-	-	-	-
PC audio-in	Yes	-	-	-	Yes
Headphones out	Yes	Yes	Yes	Yes	Yes
FEATURES					
Speakers	Yes	Yes	-	Yes	Yes
Webcam/microphone	-	-	-	-	-
Multi view	-	-	-	-	-
Blue Mode	LowBlue	LowBlue	LowBlue	LowBlue	LowBlue
FlickerFree	Yes	Yes	Yes	Yes	Yes
PHYSICAL SPECS/ERGONOMICS					
Smart Ergo Base	-	-	-	-	-
Height adjustment (mm)	-	100	-	-	-
Pivot (90 degree)	-	-	-	-	-
Swivel (degree)	-	-	-	-	-
Tilt (degree)	-5/20	-5/20	-5/20	-5/20	-5/20
Weight with stand (kg)	4.76	5.23	7.34	7.71	4.78
Dimensions with stand W×H×D (mm)	614 x 462 x 234	614 x 475 x 234	709 x 523 x 281	709 x 523 x 281	613 x 461 x 192
Dimension without stand W×H×D (mm)	614 x 354 x 38	614 x 354 x 38	709 x 425 x 88	709 x 425 x 88	613 x 368 x 45
VESA mount (mm)	100 x 100	100 x 100	100 x 100	100 x 100	100 x 100
ENERGY EFFICIENCY					
Power/Light Sensor	-	-	-	-	-
On mode (W)	15.5	18.5	47.3	49.3	20.22
Standby mode (W)	<0.5	<0.5	<0.5	<0.5	<0.5
Off mode (W)	<0.3	<0.3	<0.3	<0.3	<0.3
Power supply	External	External	Internal	Internal	External
APPROVALS					
Energy Star	8.0	8.0	-	-	8.0
EPEAT	-	-	-	-	-
TCO Certified/TCO Certified Edge	8.0/-	8.0/-	-/-	-/-	-/-
Safety	TUV Bauart	TUV Bauart	TUV Bauart	TUV Bauart	TUV Bauart
WHAT'S IN THE BOX					
Power cable included	1	1	1	1	1
VGA cable included	-	-	-	-	-
DVI cable included	-	-	-	-	-
HDMI cable included	1	1	1	1	1
DisplayPort cable included	-	-	-	1	-
Audio cable included	-	-	-	1	1
USB cable included	-	-	-	-	-



MODEL NUMBER	275E1S	245E1S	276E8VJSB
Screen size	27 inch/68.6 cm	23.8 inch/60.5 cm	27 inch/ 68.6 cm
PICTURE/DISPLAY			
LCD Panel type	IPS	IPS	IPS
Backlighting	WLED	WLED	WLED
Optimum resolution	2560 x 1440@75Hz	2560 x 1440@75Hz	3840 x 2160@60Hz
Aspect ratio	16:9	16:9	16:9
Viewing angle (CRIO)	178/178	178/178	178/178
Brightness (cd/m ²)	250	250	350
Contrast ratio (typical)	1000:1	1000:1	1000:1
Smart Contrast ratio	Mega Infinity DCR	Mega Infinity DCR	20M:1
Smart Response time (ms)	4	4	5
Pixel pitch (mm)	0.233 x 0.233	0.206 x 0.206	0.155 x 0.155
Colour Gamut (NTSC/sRGB/AdobeRGB/DCI-P3)	93%/104%	100%/117%	91%/109%
CONNECTIVITY			
VGA/HDMI/Display Port	1/1/1	1/1/1	-/2/1
DVI	-	-	-
USB	-	-	-
USB-C	-	-	-
USB Docking	-	-	-
PC audio-in	-	-	-
Headphones out	Yes	Yes	Yes
FEATURES			
Speakers	-	-	-
Webcam/microphone	-	-	-
Multi view	-	-	Yes
Blue Mode	LowBlue	LowBlue	LowBlue
FlickerFree	Yes	Yes	Yes
PHYSICAL SPECS/ERGONOMICS			
Smart Ergo Base	-	-	-
Height adjustment (mm)	-	-	-
Pivot (90 degree)	-	-	-
Swivel (degree)	-	-	-
Tilt (degree)	-5/20	-5/20	-5/20
Weight with stand (kg)	3.99	3.24	4.84
Dimensions with stand W×H×D (mm)	613 x 461 x 195	540 x 414 x 195	613 x 466 x 189
Dimension without stand W×H×D (mm)	613 x 368 x 42	540 x 325 x 43	613 x 374 x 41
VESA mount (mm)	100 x 100	100 x 100	-
ENERGY EFFICIENCY			
Power/Light Sensor	-	-	-
On mode (W)	23.11	17.94	19.9
Standby mode (W)	<0.5	<0.5	0.5
Off mode (W)	<0.3	<0.3	0.3
Power supply	External	External	External
APPROVALS			
Energy Star	-	-	8.0
EPEAT	-	-	-
TCO Certified/TCO Certified Edge	-/-	-/-	8.0/-
Safety	TUV Bauart	TUV Bauart	TUV Bauart
WHAT'S IN THE BOX			
Power cable included	1	1	1
VGA cable included	-	-	-
DVI cable included	-	-	-
HDMI cable included	1	1	1
DisplayPort cable included	-	-	-
Audio cable included	-	-	-
USB cable included	-	-	-



Gear up, for a clear advantage

Immersive visuals


- VA display delivers awesome images with wide viewing angles.
- 16:9 Full HD display for crisp detailed images.
- SmartContrast for rich black details.

The gaming advantage is yours

- 144Hz refresh rates for ultra-smooth, brilliant images.
- 1ms (MPRT) fast response for crisp image and smooth gameplay.
- SmartImage game mode optimized for gamers.
- Ultra Wide-Color wider range of colors for a vivid picture.

Features designed for you

- Less eye fatigue with Flicker-free technology
- LowBlueMode for easy on-the-eyes productivity



SmartImage™ Game

The new Philips gaming display has quick-access OSD fine-tuned for gamers, offering you multiple options from FPS and Racing mode to RTS and Gamer 1 and 2 for customized settings.

Ultra Wide-Color

Ultra Wide-Color Technology delivers a wider spectrum of colours for a more brilliant picture. The Ultra Wide-Color wider "colour gamut" produces more natural-looking greens, vivid reds and deeper blues.

Built-in speakers

A pair of high-quality stereo speakers built into a display device. They may be visible front firing, or invisible down firing, top firing, rear firing etc. depending on model and design.

Take console gaming to the **next level**

The Momentum line-up invites users to experience gaming like never before.

These monitors provide console gamers with the latest display innovations, offering an exciting, high-performance alternative to plugging your console into your TV.



get
in the
moment

Realistic graphics

The breathtaking **4K UHD** resolution delivers near surgical precision. **436M6VBPAB** and **558M1R** comply with the **VESA DisplayHDR 1000** standard, meaning more lifelike vibrant visuals with superior brightness, depth and nuance.

Uninterrupted action

FreeSync matches the frame rate of the rendered imagery with the display's refresh rate, while **Low Input Lag** reduces the device-to-display time for faster visual feedback. Also, 558M1R reaches up to 120Hz refresh rate, for extra realistic motion.

Immersive entertainment

Ambiglow emits a halo of warm light that enlarges the screen and intensifies entertainment. An internal processor analyses image content and continuously adapts the colour and brightness of the light to match the image.



MODEL NUMBER	559M1RYV	558M1RY	329M1RV
Screen size	55 inch/193.7 cm	55 inch/193.7 cm	31.5 inch/80 cm
PICTURE/DISPLAY			
LCD Panel type	VA	VA	IPS
Backlighting	WLED	WLED	WLED
Optimum resolution	3840 x 2160@120Hz	3840 x 2160@120Hz	3840 x 2160@144Hz
Aspect ratio	16:9	16:9	16:9
Viewing angle (CR10)	178/178	178/178	178/178
Brightness (cd/m ²)	1000	1200	TBC
Contrast ratio (typical)	4000:1	4000:1	TBC
Smart Contrast ratio	Mega Infinity DCR	Mega Infinity DCR	TBC
Smart Response time (ms)	1	1	1
Pixel pitch (mm)	0.315x.0315	0.315x.0315	
Colour Gamut (NTSC/sRGB/AdobeRGB/DCI-P3)	TBC	105%/125%	TBC
CONNECTIVITY			
VGA/HDMI/Display Port	-/3/1	-/3/1	-/3/1
DVI	-	-	-
USB	4	4	4
USB-C	1	-	1
USB Docking	-	-	-
PC audio-in	-	-	-
Headphones out	Yes	Yes	Yes
FEATURES			
Speakers	Yes	Yes	Yes
Webcam/microphone	-	-	-
Multi view	TBC	Yes	TBC
Blue Mode	LowBlue	LowBlue	LowBlue
FlickerFree	Yes	Yes	Yes
PHYSICAL SPECS/ERGONOMICS			
Smart Ergo Base	-	-	-
Height adjustment (mm)	-	-	130
Pivot (90 degree)	-	-	-
Swivel (degree)	-	-	TBC
Tilt (degree)	-5/10	-5/10	TBC
Weight with stand (kg)	TBC	26.5	
Dimensions with stand W×H×D (mm)	TBC	1232 x 834 x 308	
Dimension without stand W×H×D (mm)	TBC	1232 x 715 x 102	
VESA mount (mm)	200 x 200	200 x 200	100 x 100
ENERGY EFFICIENCY			
Power/Light Sensor	-	-	-
On mode (W)	TBC	122.9	TBC
Standby mode (W)	<0.5	<0.5	<0.5
Off mode (W)	<0.3	<0.3	<0.3
Power supply	Internal	Internal	External
APPROVALS			
Energy Star	-	-	-
EPEAT	-	-	-
TCO Certified/TCO Certified Edge	-/-	-/-	-/-
Safety	TUV Bauart	TUV Bauart	TUV Bauart
WHAT'S IN THE BOX			
Power cable included	1	1	1
VGA cable included	-	-	-
DVI cable included	-	-	-
HDMI cable included	1	1	1
DisplayPort cable included	1	1	1
Audio cable included	-	-	-
USB cable included	1	1	1



MODEL NUMBER	279M1RV	278M1R	436M6VPAB	326M6JRMB
Screen size	27 inch/68.6 cm	27 inch/68.6 cm	43 inch/108 cm	31.5 inch/80 cm
PICTURE/DISPLAY				
LCD Panel type	IPS	IPS	MVA	MVA
Backlighting	WLED	WLED	WLED	WLED
Optimum resolution	3840 x 2160@144Hz	3840 x 2160@60Hz	3840 x 2160@60Hz	3840 x 2160@60Hz
Aspect ratio	16:9	16:9	16:9	16:9
Viewing angle (CR10)	178/178	178/178	178/178	178/178
Brightness (cd/m ²)	450	350	1000	600
Contrast ratio (typical)	1000:1	1000:1	4000:1	3000:1
Smart Contrast ratio	Mega Infinity DCR	Mega Infinity DCR	50M:1	80M:1
Smart Response time (ms)	1		4	4
Pixel pitch (mm)		0.1554 x 0.1554	0.245 x 0.245	0.181 x 0.181
Colour Gamut (NTSC/sRGB/AdobeRGB/DCI-P3)	TBC	91%/105%/89%/TBC	119%/145%	114%/135%
CONNECTIVITY				
VGA/HDMI/Display Port	-/3/1	-/2/1	-/1/2	-/3/1
DVI	-	-	-	-
USB	4	4	2	4
USB-C	1	-	1	-
USB Docking	-	-	-	-
PC audio-in	-	Yes	Yes	Yes
Headphones out	Yes	Yes	Yes	Yes
FEATURES				
Speakers	Yes	Yes	Yes	Yes
Webcam/microphone	-	-	-	-
Multi view	TBC	Yes	Yes	Yes
Blue Mode	LowBlue	LowBlue	LowBlue	LowBlue
FlickerFree	Yes	Yes	Yes	Yes
PHYSICAL				
Smart Ergo Base	-	-	-	-
Height adjustment (mm)	130	130	-	110
Pivot (90 degree)	-	-	-	-
Swivel (degree)	TBC	-33/33	-	-
Tilt (degree)	TBC	-5/20	-5/10	-5/20
Weight with stand (kg)		6.74	14.71 kg	7.21 kg
Dimensions with stand W*H*D (mm)		614 x 567 x 251	976 x 661 x 264	728 x 604 x 206
Dimension without stand W*H*D (mm)		614 x 370 x 75	976 x 574 x 63	728 x 432 x 58
VESA mount (mm)	100 x 100	100 x 100	200 x 200	100 x 100
ENERGY EFFICIENCY				
Power/Light Sensor	-	-	-	-
On mode (W)	TBC	35.1	62.69	40.57
Standby mode (W)	<0.5	<0.5	0.5	<0.5
Off mode (W)	<0.3	<0.3	0.5	<0.3
Power supply	External	External	Internal	External
APPROVALS				
Energy Star	-	-	-	-
EPEAT	-	-	-	-
TCO Certified/TCO Certified Edge	-/-	8.0/-	-/-	8.0/-
Safety	TUV Bauart	TUV Bauart	TUV Bauart	TUV Bauart
WHAT'S IN THE BOX				
Power cable included	1	1	1	1
VGA cable included	-	-	-	-
DVI cable included	-	-	-	-
HDMI cable included	1	1	1	1
DisplayPort cable included	1	1	1	1
Audio cable included	-	-	-	-
USB cable included	1	-	2	-



MODEL NUMBER	272E1GAJ	272E1GAEZ	242E1GAJ	242E1GAEZ
Screen size	27 inch/68.6 cm	27 inch/68.6 cm	23.8 inch/60.5 cm	23.8 inch/60.5 cm
PICTURE/DISPLAY				
LCD Panel type	VA	VA	VA	VA
Backlighting	WLED	WLED	WLED	WLED
Optimum resolution	1920 x 1080@144Hz	1920 x 1080@144Hz	1920 x 1080@144Hz	1920 x 1080@144Hz
Aspect ratio	16:9	16:9	16:9	16:9
Viewing angle (CR10)	178/178	178/178	178/178	178/178
Brightness (cd/m ²)	350	350	350	350
Contrast ratio (typical)	4000:1	4000:1	4000:1	4000:1
Smart Contrast ratio	Mega Infinity DCR	Mega Infinity DCR	Mega Infinity DCR	Mega Infinity DCR
Smart Response time (ms)	1	1	1	1
Pixel pitch (mm)	0.311 x 0.311	0.311 x 0.311	0.272 x 0.272	0.272 x 0.272
Colour Gamut (NTSC/sRGB/AdobeRGB/DCI-P3)	96.1%/125.9%	96.1%/125.9%	101.5%/121.9%	101.5%/121.9%
CONNECTIVITY				
VGA/HDMI/Display Port	-/1/1	-/1/1	-/1/1	-/1/1
DVI	-	-	-	-
USB	-	-	-	-
USB-C	-	-	-	-
USB Docking	-	-	-	-
PC audio-in	-	-	-	-
Headphones out	Yes	Yes	Yes	Yes
FEATURES				
Speakers	Yes	Yes	Yes	Yes
Webcam/microphone	-	-	-	-
Multi view	-	-	-	-
Blue Mode	LowBlue	LowBlue	LowBlue	LowBlue
FlickerFree	Yes	Yes	Yes	Yes
PHYSICAL				
Smart Ergo Base	-	-	-	-
Height adjustment (mm)	-	100	-	100
Pivot (90 degree)	-	-	-	-
Swivel (degree)	-	-	-	-
Tilt (degree)	-5/20	-5/20	-5/20	-5/20
Weight with stand (kg)	4.07	5.52	3.07	4.10
Dimensions with stand W*H*D (mm)	613 x 461 x 205	613 x 545 x 224	540 x 414 x 207	540 x 498 x 187
Dimension without stand W*H*D (mm)	613 x 368 x 42	613 x 368 x 41	540 x 325 x 43	540 x 325 x 43
VESA mount (mm)	100 x 100	100 x 100	100 x 100	100 x 100
ENERGY EFFICIENCY				
Power/Light Sensor	-	-	-	-
On mode (W)	28	32.2	14.8	13.92
Standby mode (W)	0.3	0.5	<0.5	<0.5
Off mode (W)	0.3	0.3	<0.3	<0.3
Power supply	External	External	External	External
APPROVALS				
Energy Star	-	-	-	-
EPEAT	-	-	-	-
TCO Certified/TCO Certified Edge	-/-	-/-	-/Yes	-/Yes
Safety	TUV GS	TUV GS	TUV Bauart	TUV GS
WHAT'S IN THE BOX				
Power cable included	1	1	1	1
VGA cable included	-	-	-	-
DVI cable included	-	-	-	-
HDMI cable included	1	1	1	1
DisplayPort cable included	1	1	1	1
Audio cable included	-	-	-	-
USB cable included	-	-	-	-



Curved Display

Ultimate Immersion

Mimicking the curve of the eye

One of the benefits of desktop monitors is the personal experience they provide. Philips monitors Curved displays take this experience one step further, gently wrapping around you and embracing your field of vision with a curve that mimics the natural shape of the eye. The result is a subtle immersive effect that places you front and center, minimizing distractions and maximizing enjoyment while providing extra ergonomic viewing comfort.

A solution for everyone

Philips curved monitors are specifically shaped to mimic the natural curve of the eye, minimizing distortion and reducing distraction while creating a subtly immersive effect that draws you in.

Available in 24", 27", 32", 34", 43", and 49" formats,
Philips monitors have a solution for everyone.

Wide viewing angle

The expansive 439P9H and 499P9H frameless displays offer ultra-wide formats that are a multi-tasker's dream come true. Wide enough to replace the need for multiple, these monitors offer deep 1500R or 1800R curvature, expanding the field of view and entering your peripheral vision for optimal ocular comfort.

All-in-one USB-C docking

Available in a large selection of curved monitors including the 345B1C, 346P1, 439P9H, and 499P9H, built-in USB 3.1

type-C docking with power delivery offers you the benefit of high-speed data transfer as well as flexible connectivity at the office or at home.


Features to spare

Countless forward-thinking features mean countless reasons to love Philips curved monitors. The B2B as well as the B2C E1 and E9 ranges invite you to enjoy features such as the beauty of HDR resolution, the smooth gameplay of Adaptive Sync technology, the security of Windows Hello™ pop-up webcam and the connectivity of VGA, HDMI,

and DisplayPort. Protect your eyes with LowBlue and Flicker-Free technology and avoid back and neck strain with the ergonomic SmartErgoBase.

Environmental-friendly

Preserve the environment with your monitor. Philips monitors are equipped with lead and mercury-free housing, 100% recyclable packaging material and come with the energy savings of a PowerSensor, LightSensor, and Zero Power Switch.





MODEL NUMBER	346E2CUAE	325E1C	328E1CA	322E1C
Screen size	34 inch/86.36 cm	31.5 inch/80 cm	31.5 inch/80 cm	31.5 inch/80 cm
PICTURE/DISPLAY				
LCD Panel type	VA	VA	VA	VA
Backlighting	WLED	WLED	WLED	WLED
Optimum resolution	3440 x 1440 @100Hz	2560 x 1440@75Hz	3840 x 2160@60Hz	1920 x 1080@75Hz
Aspect ratio	21:9	16:9	16:9	16:9
Viewing angle (CR10)	178/178	178/178	178/178	178/178
Brightness (cd/m ²)	300	250	250	250
Contrast ratio (typical)	3000:1	3000:1	2500:1	3000:1
Smart Contrast ratio	Mega Infinity DCR	Mega Infinity DCR	Mega Infinity DCR	Mega Infinity DCR
Smart Response time (ms)	4	4	4	4
Pixel pitch (mm)	110 PPI	0.272 x 0.272	0.182 x 0.182	0.364 x 0.364
Colour Gamut (NTSC/sRGB/AdobeRGB/DCI-P3)	99.5%/121.3%	102%/123%	97.8%/120.5%	85%/104%
CONNECTIVITY				
VGA/HDMI/Display Port	0/1/1	1/1/1	-/2/1	1/1/1
DVI	-	-	-	-
USB	-	-	-	-
USB-C	1	-	-	-
USB Docking	-	-	-	-
PC audio-in	-	-	-	-
Headphones out	Yes	Yes	Yes	Yes
FEATURES				
Speakers	Yes	-	Yes	-
Webcam/microphone	-	-	-	-
Multi view	Yes	-	-	-
Blue Mode	LowBlue	LowBlue	LowBlue	LowBlue
FlickerFree	Yes	Yes	Yes	Yes
PHYSICAL				
Smart Ergo Base	-	-	-	-
Height adjustment (mm)	100	-	-	-
Pivot (90 degree)	-	-	-	-
Swivel (degree)	-	-	-	-
Tilt (degree)	-5/20	-5/20	-5/20	-5/20
Weight with stand (kg)	10.05	7.34	7.71	7.1
Dimensions with stand W×H×D (mm)	807 x 495 x 257	709 x 523 x 281	709 x 523 x 281	709 x 523 x 281
Dimension without stand W×H×D (mm)	807 x 367 x 110	709 x 425 x 88	709 x 425 x 88	709 x 425 x 88
VESA mount (mm)	100 x 100	100 x 100	100 x 100	100 x 100
ENERGY EFFICIENCY				
Power/Light Sensor	-	-	-	-
On mode (W)	31.81	47.3	49.3	40.6
Standby mode (W)	0.5	<0.5	<0.5	<0.5
Off mode (W)	0.3	<0.3	<0.3	<0.3
Power supply	Internal	Internal	Internal	Internal
APPROVALS				
Energy Star	8	-	-	-
EPEAT	-	-	-	-
TCO Certified/TCO Certified Edge	8.0/-	-/-	-/-	-/-
Safety	GS	TUV Bauart	TUV Bauart	TUV Bauart
WHAT'S IN THE BOX				
Power cable included	1	1	1	1
VGA cable included	-	-	-	-
DVI cable included	-	-	-	-
HDMI cable included	1	1	1	1
DisplayPort cable included	1	-	1	-
Audio cable included	-	-	1	-
USB cable included	1	-	-	-

271E1SCA	271E1CA	272E1CA	241E1SCA	248E9QHSB	241E1SC
27 inch/68.6 cm	27 inch/68.6 cm	27 inch/68.6 cm	23.6 inch/59.9 cm	23.6 inch/59.9 cm	23.6 inch/59.9 cm
PICTURE/DISPLAY					
VA	VA	VA	VA	VA	VA
WLED	WLED	WLED	WLED	WLED	WLED
1920 x 1080@75Hz	1920 x 1080@75Hz	1920 x 1080@75Hz	1920 x 1080@75Hz	1920 x 1080@75Hz	1920 x 1080@75Hz
16:9	16:9	16:9	16:9	16:9	16:9
178/178	178/178	178/178	178/178	178/178	178/178
250	250	250	250	250	250
3000:1	3000:1	3000:1	3000:1	3000:1	3000:1
Mega Infinity DCR	Mega Infinity DCR	Mega Infinity DCR	Mega Infinity DCR	20M:1	Mega Infinity DCR
4	4	4	4	4	4
0.311 x 0.311	0.311 x 0.311	0.311 x 0.311	0.272 x 0.272	0.272 x 0.272	0.272x0.272
83%/100%	83%/100%	83%/100%	87%x103%	102%/121%	87%/103%
CONNECTIVITY					
1/1/-	1/1/-	1/1/1	1/1/-	1/1/-	1/1/-
-	-	-	-	-	-
-	-	-	-	-	-
-	-	-	-	-	-
-	-	-	-	-	-
Yes	Yes	Yes	Yes	-	-
Yes	Yes	Yes	Yes	Yes	Yes
FEATURES					
Yes	Yes	Yes	Yes	-	-
-	-	-	-	-	-
-	-	-	-	-	-
LowBlue	LowBlue	LowBlue	LowBlue	LowBlue	LowBlue
Yes	Yes	Yes	Yes	Yes	Yes
PHYSICAL					
-	-	-	-	-	-
-	-	-	-	-	-
-	-	-	-	-	-
-	-	-	-	-	-
-5/20	-5/20	-5/20	-5/20	-5/20	-5/20
4.5	4.41	4.45	3.54	3.07	3.14
611 x 462 x 202	611 x 462 x 203	611 x 462 x 203	536 x 413 x 202	537 x 412 x 190	536 x 413 x 202
611 x 367 x 43	611 x 367 x 43	611 x 367 x 43	536 x 322 x 66	537 x 325 x 37	536 x 322 x 66
100 x 100	100 x 100	100 x 100	100 x 100	100 x 100	100 x 100
ENERGY EFFICIENCY					
-	-	-	-	-	-
33.2	32.2	38.8	27.9	31.3	27.9
<0.5	0,5	<0.5	<0.5	<0.5	<0.5
<0.3	0,3	<0.3	<0.3	<0.3	<0.3
External	External	External	External	External	External
APPROVALS					
-	-	-	-	-	-
-	-	-	-	-	-
-/-	-/-	-/-	-/-	-/-	-/-
TUV Bauart	TUV Bauart	TUV Bauart	TUV Bauart	TUV Bauart	TUV Bauart
WHAT'S IN THE BOX					
1	1	1	1	1	1
-	-	-	-	-	-
-	-	-	-	-	-
1	1	1	1	1	1
-	*	-	-	-	-
1	1	1	1	-	-
-	*	-	-	-	-



MODEL NUMBER	200V4QSBR	200V4LAB2	246V5LDSB	243V5LHAB
Screen size	19.53 inch/49.5 cm	19.5 inch/49.5 cm	24 inch/61 cm	23.6 inch/59.95 cm
PICTURE/DISPLAY				
LCD Panel type	MVA	TN	TN	TN
Backlighting	WLED	WLED	WLED	WLED
Optimum resolution	1920x1080@60Hz	1600 x 900@60 Hz	1920 x 1080@60Hz	1920 x 1080@60Hz
Aspect ratio	16:9	16:9	16:9	16:9
Viewing angle (CR10)	178/178	90/65	170/160	170/160
Brightness (cd/m ²)	250	200	250	250
Contrast ratio (typical)	1000:1	1000:1	1000:1	1000:1
Smart Contrast ratio	10M:1	20M:1	10M:1	10M:1
Smart Response time (ms)	8	5	1	1
Pixel pitch (mm)	0.23 x 0.22	0.32 x 0.31	0.277 x 0.277	0.272 x 0.272
Colour Gamut (NTSC/sRGB/AdobeRGB/DCI-P3)	-	-	-	-
CONNECTIVITY				
VGA/HDMI/Display Port	1 / - / -	1/-/-	1/1/-	1/1/-
DVI	1	1	1	1
USB	-	-	-	-
USB-C	-	-	-	-
USB Docking	-	-	-	-
PC audio-in	-	Yes	-	Yes
Headphones out	-	-	Yes	Yes
FEATURES				
Speakers	-	Yes	-	Yes
Webcam/microphone	-	-	-	-
Multi view	-	-	-	-
Blue Mode	-	-	-	-
FlickerFree	-	-	Yes	-
PHYSICAL SPECS/ERGONOMICS				
Smart Ergo Base	-	-	-	-
Height adjustment (mm)	-	-	-	-
Pivot (90 degree)	-	-	-	-
Swivel (degree)	-	-	-	-
Tilt (degree)	-5/20	-5/20	-5/20	-5/20
Weight with stand (kg)	2.72	2.72	4.65	3.66
Dimensions with stand W×H×D (mm)	479 x 369 x 213	479 x 369 x 201	565 x 435 x 238	554 x 420 x 220
Dimension without stand W×H×D (mm)	479 x 299 x 50	479 x 299 x 48	565 x 354 x 63	554 x 344 x 52
VESA mount (mm)	100x100	100 x 100	100 x 100	100 x 100
ENERGY EFFICIENCY				
Power/Light Sensor	-	-	-	-
On mode (W)	13.97	17.5	15.66	19.18
Standby mode (W)	0.5	0.5	0.5	0.5
Off mode (W)	0.5	0.5	0.5	0.3
Power supply	Internal	Internal	Internal	Internal
APPROVALS				
Energy Star	-	-	-	-
EPEAT	-	-	-	-
TCO Certified/TCO Certified Edge	7.0 / -	7.0/Yes	7.0/-	7.0/-
Safety	-	-	-	-
WHAT'S IN THE BOX				
Power cable included	1	1	1	1
VGA cable included	1	1	1	1
DVI cable included	-	-	-	-
HDMI cable included	-	-	-	-
DisplayPort cable included	-	-	-	-
Audio cable included	-	1	-	-
USB cable included	-	-	-	-

243V5LHSB	243V5QHABA	243V5QHSBA	243V5QSBA	223V5LSB
Screen size	23.6 inch/59.9 cm	23.6 inch/59.95 cm	23.6 inch/59.59 cm	23.6 inch/59.9 cm
PICTURE/DISPLAY				
LCD Panel type	TN	MVA	MVA	MVA
Backlighting	WLED	WLED	WLED	WLED
Optimum resolution	1920 x 1080@60Hz	1920 x 1080@60Hz	1920 x 1080@60Hz	1920 x 1080@60Hz
Aspect ratio	16:9	16:9	16:9	16:9
Viewing angle (CR10)	170/160	178/178	178/178	178/178
Brightness (cd/m ²)	250	250	250	250
Contrast ratio (typical)	1000:1	3000:1	3000:1	3000:1
Smart Contrast ratio	10M:1	10M:1	50M:1	10M:1
Smart Response time (ms)	1	8	8	8
Pixel pitch (mm)	0.272 x 0.272	0.272 x 0.272	0.272 x 0.272	0.272 x 0.272
Colour Gamut (NTSC/sRGB/AdobeRGB/DCI-P3)	-	-	-	-
CONNECTIVITY				
VGA/HDMI/Display Port	1/1/-	1/1/-	1/1/-	1/-/-
DVI	1	1	1	1
USB	-	-	-	-
USB-C	-	-	-	-
USB Docking	-	-	-	-
PC audio-in	-	Yes	-	-
Headphones out	-	Yes	-	-
FEATURES				
Speakers	-	Yes	-	-
Webcam/microphone	-	-	-	-
Multi view	-	-	-	-
Blue Mode	-	-	-	-
FlickerFree	-	-	Yes	Yes
PHYSICAL SPECS/ERGONOMICS				
Smart Ergo Base	-	-	-	-
Height adjustment (mm)	-	-	-	-
Pivot (90 degree)	-	-	-	-
Swivel (degree)	-	-	-	-
Tilt (degree)	-5/20	-5/20	-5/20	-5/20
Weight with stand (kg)	3.66	3.66	3.66	3.66
Dimensions with stand W×H×D (mm)	551 x 420 x 220	551 x 420 x 220	551 x 420 x 220	551 x 420 x 220
Dimension without stand W×H×D (mm)	551 x 344 x 52	551 x 344 x 52	551 x 344 x 52	551 x 344 x 52
VESA mount (mm)	100 x 100	100 x 100	100 x 100	100 x 100
ENERGY EFFICIENCY				
Power/Light Sensor	-	-	-	-
On mode (W)	18.59	21.51	21.51	21.07
Standby mode (W)	0.5	0.5	0.5	0.5
Off mode (W)	0.3	0.3	0.3	0.5
Power supply	Internal	Internal	Internal	Internal
APPROVALS				
Energy Star	-	-	-	-
EPEAT	-	-	-	-
TCO Certified/TCO Certified Edge	7.0/-	7.0/-	7.0/-	7.0/-
Safety	-	-	-	-
WHAT'S IN THE BOX				
Power cable included	1	1	1	1
VGA cable included	1	1	1	1
DVI cable included	-	-	-	-
HDMI cable included	-	-	-	-
DisplayPort cable included	-	-	-	-
Audio cable included	1	1	-	-
USB cable included	-	-	-	-



MODEL NUMBER	223V5LSB2	223V5LHSB	223V5LHSB2	203V5LSB26
Screen size	21.5 inch/54.6 cm	21.5 inch/54.6 cm	21.5 inch/54.6 cm	19.5 inch/49.5 cm
PICTURE/DISPLAY				
LCD Panel type	TN	TN	TN	TN
Backlighting	WLED	WLED	WLED	WLED
Optimum resolution	1920 x 1080@60Hz	1920 x 1080@60Hz	1920 x 1080@60Hz	1440 x 900@60Hz
Aspect ratio	16:9	16:9	16:9	16:9
Viewing angle (CR10)	90/65	170/160	90/65	90/50
Brightness (cd/m ²)	200	250	200	200
Contrast ratio (typical)	600:1	1000:1	1000:1	600:1
Smart Contrast ratio	10M:1	10M:1	10M:1	10M:1
Smart Response time (ms)	5	5	5	5
Pixel pitch (mm)	0.248 x 0.248	0.248 x 0.248	0.248 x 0.248	0.26 x 0.26
Colour Gamut (NTSC/sRGB/AdobeRGB/DCI-P3)	-	-	-	-
CONNECTIVITY				
VGA/HDMI/Display Port	1/-/-	1/1/-	1/1/-	1/-/-
DVI	-	-	-	-
USB	-	-	-	-
USB-C	-	-	-	-
USB Docking	-	-	-	-
PC audio-in	-	-	-	-
Headphones out	-	Yes	-	-
FEATURES				
Speakers	-	-	-	-
Webcam/microphone	-	-	-	-
Multi view	-	-	-	-
Blue Mode	-	-	-	-
FlickerFree	Yes	Yes	-	-
PHYSICAL SPECS/ERGONOMICS				
Smart Ergo Base	-	-	-	-
Height adjustment (mm)	-	-	-	-
Pivot (90 degree)	-	-	-	-
Swivel (degree)	-	-	-	-
Tilt (degree)	-5/20	-5/20	-5/20	-5/20
Weight with stand (kg)	2.61	2.61	2.61	2.33
Dimensions with stand W×H×D (mm)	503 x 376 x 213	503 x 376 x 213	503 x 376 x 213	465 x 345 x 170
Dimension without stand W×H×D (mm)	503 x 316 x 50	503 x 316 x 50	503 x 316 x 50	465 x 285 x 48
VESA mount (mm)	100 x 100	100 x 100	100 x 100	100 x 100
ENERGY EFFICIENCY				
Power/Light Sensor	-	-	-	-
On mode (W)	15.3	15.3	15.3	14.52
Standby mode (W)	0.5	0.5	0.5	0.5
Off mode (W)	0.5	0.5	0.5	0.5
Power supply	Internal	Internal	Internal	Internal
APPROVALS				
Energy Star	-	-	-	-
EPEAT	-	-	-	-
TCO Certified/TCO Certified Edge	-/-	-/-	-/-	-/-
Safety	-	-	-	-
WHAT'S IN THE BOX				
Power cable included	1	1	1	1
VGA cable included	1	1	1	1
DVI cable included	-	-	-	-
HDMI cable included	-	-	-	-
DisplayPort cable included	-	-	-	-
Audio cable included	-	-	-	-
USB cable included	-	-	-	-

193V5LSB2/10	206V6QSB6	273V7QDAB	273V7QDSB	273V7QJAB
Screen size	18.5 inch/47 cm	19.5 inch/49.5 cm	27 inch/68.6 cm	27 inch/68.6 cm
PICTURE/DISPLAY				
LCD Panel type	TN	IPS	IPS	IPS
Backlighting	WLED	WLED	WLED	WLED
Optimum resolution	1366 x 768@60Hz	1920 x 1080@60Hz	1920x1080@60Hz	1920 x 1080@60Hz
Aspect ratio	16:9	16:9	16:9	16:9
Viewing angle (CR10)	90/65	178/178	178/178	178/178
Brightness (cd/m ²)	200	250	250	250
Contrast ratio (typical)	700:1	1000:1	1000:1	1000:1
Smart Contrast ratio	10M:1	10M:1	10M:1	10M:1
Smart Response time (ms)	5	14	4	4
Pixel pitch (mm)	0.32 x 0.31	0.291 x 0.291	0.311 x 0.311	0.311 x 0.311
Colour Gamut (NTSC/sRGB/AdobeRGB/DCI-P3)	-	-	-	-
CONNECTIVITY				
VGA/HDMI/Display Port	1/-/-	1/-/-	1/1/-	1/1/1
DVI	-	-	1	-
USB	-	-	-	-
USB-C	-	-	-	-
USB Docking	-	-	-	-
PC audio-in	-	-	Yes	Yes
Headphones out	-	-	Yes	Yes
FEATURES				
Speakers	Yes	-	Yes	Yes
Webcam/microphone	-	-	-	-
Multi view	-	-	-	-
Blue Mode	-	-	LowBlue	LowBlue
FlickerFree	-	-	Yes	Yes
PHYSICAL SPECS/ERGONOMICS				
Smart Ergo Base	-	-	-	-
Height adjustment (mm)	-	-	-	-
Pivot (90 degree)	-	-	-	-
Swivel (degree)	-	-	-	-
Tilt (degree)	-3/10	-5/20	-5/20	-5/20
Weight with stand (kg)	2.15	2.28	4.50	4.56
Dimensions with stand W×H×D (mm)	437 x 338 x 170	452 x 371 x 200	612 x 453 x 227	612 x 453 x 227
Dimension without stand W×H×D (mm)	437 x 273 x 48	452 x 304 x 40	612 x 367 x 45	612 x 367 x 45
VESA mount (mm)	100 x 100	100 x 100	100 x 100	100 x 100
ENERGY EFFICIENCY				
Power/Light Sensor	-	-	-	-
On mode (W)	8.76	11.31	15.4	15.4
Standby mode (W)	0.5	0.5	0.5	0.5
Off mode (W)	0.5	0.5	0.5	0.5
Power supply	Internal	External	Internal	Internal
APPROVALS				
Energy Star	-	-	-	-
EPEAT	-	-	-	-
TCO Certified/TCO Certified Edge	-/-	-/-	8.0/-	8.0/-
Safety	-	TUV GS	TUV-Bauart	TUV-Bauart
WHAT'S IN THE BOX				
Power cable included	1	1	1	1
VGA cable included	1	1	1	1
DVI cable included	-	-	-	-
HDMI cable included	-	-	-	-
DisplayPort cable included	-	-	-	-
Audio cable included	-	-	1	1
USB cable included	-	-	-	-



MODEL NUMBER	243V7QDAB	243V7QDSB	243V7QJABF	243V7QSB
Screen size	23.8 inch/60.5 cm	23.8 inch/60.5 cm	23.8 inch/60.5 cm	23.8 inch/60.5 cm
PICTURE / DISPLAY				
LCD Panel type	IPS	IPS	IPS	IPS
Backlighting	WLED	WLED	WLED	WLED
Optimum resolution	1920 x 1080@60Hz	1920 x 1080@60Hz	1920 x 1080@60Hz	1920 x 1080@60Hz
Aspect ratio	16:9	16:9	16:9	16:9
Viewing angle (CRIO)	178/178	178/178	178/178	178/178
Brightness (cd/m²)	250	250	250	250
Contrast ratio (typical)	1000:1	1000:1	1000:1	1000:1
Smart Contrast ratio	10M:1	10M:1	10M:1	10M:1
Smart Response time (ms)	4	4	4	8
Pixel pitch (mm)	0.275 x 0.275	0.275 x 0.275	0.275 x 0.275	0.275 x 0.275
Colour Gamut (NTSC/sRGB/AdobeRGB/DCI-P3)	-	-	-	-
CONNECTIVITY				
VGA / HDMI / Display Port	1/1/-	1/1/-	1/1/1	1/-/-
DVI	1	1	-	1
USB	-	-	-	-
USB-C	-	-	-	-
USB Docking	-	-	-	-
PC audio-in	Yes	-	Yes	-
Headphones out	Yes	Yes	Yes	-
FEATURES				
Speakers	Yes	-	Yes	-
Webcam/microphone	-	-	-	-
Multi view	-	-	-	-
Blue Mode	LowBlue	LowBlue	LowBlue	LowBlue
FlickerFree	Yes	Yes	Yes	Yes
PHYSICAL SPECS/ERGONOMICS				
Smart Ergo Base	-	-	-	-
Height adjustment (mm)	-	-	-	-
Pivot (90 degree)	-	-	-	-
Swivel (degree)	-	-	-	-
Tilt (degree)	-5/20	-5/20	-5/20	-5/20
Weight with stand (kg)	3.50	3.50	3.50	3.50
Dimensions with stand W×H×D (mm)	540 x 415 x 209	540 x 415 x 209	540 x 415 x 209	540 x 415 x 209
Dimension without stand W×H×D (mm)	540 x 325 x 45	540 x 325 x 45	540 x 325 x 45	540 x 325 x 45
VESA mount (mm)	100 x 100	100 x 100	100 x 100	100 x 100
ENERGY EFFICIENCY				
Power/Light Sensor	-	-	-	-
On mode (W)	13.82	13.82	13.82	13.82
Standby mode (W)	0.5	0.5	0.5	0.5
Off mode (W)	0.5	0.5	0.5	0.5
Power supply	Internal	Internal	Internal	Internal
APPROVALS				
Energy Star	8.0	8.0	8.0	8.0
EPEAT	Bronze	Bronze	Bronze	Bronze
TCO Certified/TCO Certified Edge	8.0/-	8.0/-	8.0/-	8.0/-
Safety	TUV-GS/Semko S-Mark	TUV-GS/Semko S-Mark	TUV-GS/Semko S-Mark	TUV-GS/Semko S-Mark
WHAT'S IN THE BOX				
Power cable included	1	1	1	1
VGA cable included	1	1	1	1
DVI cable included	-	-	-	-
HDMI cable included	-	-	-	-
DisplayPort cable included	-	-	-	-
Audio cable included	1	-	1	-
USB cable included	-	-	-	-

MODEL NUMBER	223V7QSB	223V7QHAB	223V7QDSB	220V8	220V8L
Screen size	21.5 inch/54.6 cm	21.5 inch/54.6 cm	21.5 inch/54.6 cm	21.5 inch/54.6 cm	21.5 inch/54.6 cm
PICTURE / DISPLAY					
LCD Panel type	IPS	IPS	IPS	VA	VA
Backlighting	WLED	WLED	WLED	WLED	WLED
Optimum resolution	1920 x 1080@60Hz	1920 x 1080@60Hz	1920 x 1080@60Hz	1920 x 1080@60Hz	1920 x 1080@60Hz
Aspect ratio	16:9	16:9	16:9	16:9	16:9
Viewing angle (CRIO)	178/178	178/178	178/178	178/178	178/178
Brightness (cd/m²)	250	250	250	200	200
Contrast ratio (typical)	1000:1	1000:1	1000:1	4000:1	4000:1
Smart Contrast ratio	10M:1	10M:1	10M:1	Mega Infinity DCR	Mega Infinity DCR
Smart Response time (ms)	8	4	4	4	4
Pixel pitch (mm)	0.275 x 0.275	0.248 x 0.248	0.248 x 0.248	0.248 x 0.248	0.248 x 0.248
Colour Gamut (NTSC/sRGB/AdobeRGB/DCI-P3)	-	-	-	-	-
CONNECTIVITY					
VGA / HDMI / Display Port	1/-/-	1/1/-	1/1/-	1/-/-	1/-/-
DVI	1	-	1	1	-
USB	-	-	-	-	-
USB-C	-	-	-	-	-
USB Docking	-	-	-	-	-
PC audio-in	-	Yes	-	-	-
Headphones out	-	Yes	Yes	-	-
FEATURES					
Speakers	-	Yes	-	-	-
Webcam/microphone	-	-	-	-	-
Multi view	-	-	-	-	-
Blue Mode	LowBlue	LowBlue	LowBlue	LowBlue	LowBlue
FlickerFree	Yes	Yes	Yes	Yes	Yes
PHYSICAL SPECS/ERGONOMICS					
Smart Ergo Base	-	-	-	-	-
Height adjustment (mm)	-	-	-	-	-
Pivot (90 degree)	-	-	-	-	-
Swivel (degree)	-	-	-	-	-
Tilt (degree)	-5/20	-5/20	-5/20	-5/20	-5/20
Weight with stand (kg)	2.92	2.92	2.85	2.58	2.58
Dimensions with stand W×H×D (mm)	490 x 368 x 195	490 x 368 x 195	575 x 440 x 113	492 x 376 x 220	492 x 376 x 220
Dimension without stand W×H×D (mm)	490 x 296 x 45	490 x 296 x 45	490 x 296 x 45	492 x 295 x 45	492 x 295 x 45
VESA mount (mm)	100 x 100	100 x 100	100 x 100	100 x 100	100 x 100
ENERGY EFFICIENCY					
Power/Light Sensor	-	-	-	-	-
On mode (W)	13.09	13.09	13.09	13.3	13.3
Standby mode (W)	0.5	0.5	< 0.5	< 0.5	< 0.5
Off mode (W)	0.5	0.5	< 0.5	< 0.3	< 0.3
Power supply	Internal	Internal	Internal	Internal	Internal
APPROVALS					
Energy Star	-	-	-	8.0	8.0
EPEAT	-	-	-	-	-
TCO Certified/TCO Certified Edge	7.0/-	7.0/-	7.0/-	8.0/-	8.0/-
Safety	TUV-GS	TUV-GS	TUV-GS	TUV-GS/Semko S-Mark	TUV-GS/Semko S-Mark
WHAT'S IN THE BOX					
Power cable included	1	1	1	1	1
VGA cable included	1	1	1	1	1
DVI cable included	-	-	1	-	-
HDMI cable included	-	-	-	-	-
DisplayPort cable included	-	-	-	-	-
Audio cable included	-	1	-	-	-
USB cable included	-	-	-	-	-



MODEL NUMBER	220V8LL	220V8L5	221V8
Screen size	21.5 inch/54.6 cm	21.5 inch/54.6 cm	21.5 inch/54.6 cm
PICTURE/DISPLAY			
LCD Panel type	VA	VA	VA
Backlighting	WLED	WLED	WLED
Optimum resolution	1920 x 1080@75Hz	1920 x 1080@75Hz	1920 x 1080@75Hz
Aspect ratio	16:09	16:09	16:9
Viewing angle (CR10)	178/178	178/178	178/178
Brightness (cd/m ²)	250	250	200
Contrast ratio (typical)	3000:1	3000:1	4000:1
Smart Contrast ratio	Mega Infinity DCR	Mega Infinity DCR	Mega Infinity DCR
Smart Response time (ms)	4	4	4
Pixel pitch (mm)	0.248 x 0.248	0.248 x 0.248	0.248 x 0.248
Colour Gamut (NTSC/sRGB/AdobeRGB/DCI-P3)	-	-	-
CONNECTIVITY			
VGA/HDMI/Display Port	1/-/-	1/-/-	1/1/-
DVI	-	1	-
USB	-	-	-
USB-C	-	-	-
USB Docking	-	-	-
PC audio-in	-	-	-
Headphones out	TBC	TBC	Yes
FEATURES			
Speakers	-	-	-
Webcam/microphone	-	-	-
Multi view	-	-	-
Blue Mode	LowBlue	LowBlue	LowBlue
FlickerFree	Yes	Yes	Yes
PHYSICAL			
Smart Ergo Base	-	-	-
Height adjustment (mm)	-	-	-
Pivot (90 degree)	-	-	-
Swivel (degree)	-	-	-
Tilt (degree)	-5/20	-5/20	-5/20
Weight with stand (kg)	-	-	2.60
Dimensions with stand W×H×D (mm)	-	-	492 x 376 x 220
Dimension without stand W×H×D (mm)	-	-	492 x 295 x 45
VESA mount (mm)	100 x 100	100 x 100	100 x 100
ENERGY EFFICIENCY			
Power/Light Sensor	-	-	-
On mode (W)	13.3	13.3	13.3
Standby mode (W)	<0.5	<0.5	<0.5
Off mode (W)	<0.3	<0.3	<0.3
Power supply	Internal	Internal	Internal
APPROVALS			
Energy Star	-	-	8.0
EPEAT	-	-	-
TCO Certified/TCO Certified Edge	-	-	8.0/-
Safety	-	-	TUV-GS/Semko S-Mark
WHAT'S IN THE BOX			
Power cable included	1	1	1
VGA cable included	1	-	1
DVI cable included	-	1	-
HDMI cable included	-	-	-
DisplayPort cable included	-	-	-
Audio cable included	-	-	-
USB cable included	-	-	-

MODEL NUMBER	221V8A	221V8LD	222V8LA	241V8L
Screen size	21.5 inch/54.6 cm	21.5 inch/54.6 cm	21.5 inch/54.6 cm	23.8 inch/60.5cm
PICTURE/DISPLAY				
LCD Panel type	VA	VA	VA	VA
Backlighting	WLED	WLED	WLED	WLED
Optimum resolution	1920 x 1080@75Hz	1920 x 1080@75Hz	1920 x 1080@75Hz	1920 x 1080@75Hz
Aspect ratio	16:9	16:9	16:9	16:9
Viewing angle (CR10)	178/178	178/178	178/178	178/178
Brightness (cd/m ²)	200	250	250	250
Contrast ratio (typical)	4000:1	3000:1	3000:1	3000:1
Smart Contrast ratio	Mega Infinity DCR	Mega Infinity DCR	Mega Infinity DCR	Mega Infinity DCR
Smart Response time (ms)	4	4	4	4
Pixel pitch (mm)	0.248 x 0.248	0.2493 x 0.241	0.2493 x 0.241	0.2745 x 0.2745
Colour Gamut (NTSC/sRGB/AdobeRGB/DCI-P3)	-	-	-	-
CONNECTIVITY				
VGA/HDMI/Display Port	1/1/-	1/1/-	1/1/1	1/1/-
DVI	-	1	-	-
USB	-	-	-	-
USB-C	-	-	-	-
USB Docking	-	-	-	-
PC audio-in	Yes	-	Yes	-
Headphones out	Yes	Yes	Yes	Yes
FEATURES				
Speakers	Yes	-	Yes	-
Webcam/microphone	-	-	-	-
Multi view	-	-	-	-
Blue Mode	LowBlue	LowBlue	-	LowBlue
FlickerFree	Yes	Yes	Yes	Yes
PHYSICAL				
Smart Ergo Base	-	-	-	-
Height adjustment (mm)	-	-	-	-
Pivot (90 degree)	-	-	-	-
Swivel (degree)	-	-	-	-
Tilt (degree)	-5/20	-5/20	-5/20	-5/20
Weight with stand (kg)	2.61	2.69	2.79	3.03
Dimensions with stand W×H×D (mm)	492 x 376 x 220	540x416x220	540x416x220	540x416x220
Dimension without stand W×H×D (mm)	492 x 295 x 45	540x322x46	540x322x46	540x322x51
VESA mount (mm)	100 x 100	100 x 100	100 x 100	100 x 100
ENERGY EFFICIENCY				
Power/Light Sensor	-	-	-	-
On mode (W)	13.3	13.3	13,3	14,37
Standby mode (W)	<0.5	0,5	0,5	0,5
Off mode (W)	<0.3	0,3	0,3	0,3
Power supply	Internal	Internal	Internal	Internal
APPROVALS				
Energy Star	8.0	8.0	8.0	8.0
EPEAT	-	-	-	-
TCO Certified/TCO Certified Edge	8.0/-	8.0/-	8.0/-	-
Safety	TUV-GS/Semko S-Mark	TUV-GS	TUV-GS	TUV-GS
WHAT'S IN THE BOX				
Power cable included	1	1	1	1
VGA cable included	1	1	-	-
DVI cable included	-	-	-	-
HDMI cable included	-	-	1	1
DisplayPort cable included	-	-	-	-
Audio cable included	1	1	-	-
USB cable included	-	-	-	-



MODEL NUMBER	241V8LA	242V8A	242V8LA
Screen size	23.8 inc/60.5 cm	23.8 inc/60.5 cm	23.8 inc/60.5cm
PICTURE/DISPLAY			
LCD Panel type	VA	IPS	VA
Backlighting	WLED	WLED	WLED
Optimum resolution	1920 x 1080@75Hz	1920 x 1080@75Hz	1920 x 1080@75Hz
Aspect ratio	16:9	16:9	16:9
Viewing angle (CR10)	178/178	178/178	178/178
Brightness (cd/m ²)	250	250	250
Contrast ratio (typical)	3000:1	1000:1	3000:1
Smart Contrast ratio	Mega Infinity DCR	Mega Infinity DCR	Mega Infinity DCR
Smart Response time (ms)	4	4	4
Pixel pitch (mm)	0.2745 x 0.2745	0.275 x 0.275	0.2745 x 0.2745
Colour Gamut (NTSC/sRGB/AdobeRGB/DCI-P3)	-	-	-
CONNECTIVITY			
VGA / HDMI/Display Port	1/1/-	1/1/1	1/1/1
DVI	-	-	-
USB	-	-	-
USB-C	-	-	-
USB Docking	-	-	-
PC audio-in	-	Yes	Yes
Headphones out	Yes	Yes	Yes
FEATURES			
Speakers	-	Yes	Yes
Webcam/microphone	-	-	-
Multi view	-	-	-
Blue Mode	LowBlue	LowBlue	LowBlue
FlickerFree	Yes	Yes	Yes
PHYSICAL			
Smart Ergo Base	-	-	-
Height adjustment (mm)	-	-	-
Pivot (90 degree)	-	-	-
Swivel (degree)	-	-	-
Tilt (degree)	-5/20	-5/20	-5/20
Weight with stand (kg)	3.03	3.03	3
Dimensions with stand W×H×D (mm)	540 x 416x220	540 x 416x220	540 x 416x220
Dimension without stand W×H×D (mm)	540 x 322x51	540 x 322x51	540 x 322x51
VESA mount (mm)	100 x 100	100 x 100	100 x 100
ENERGY EFFICIENCY			
Power/Light Sensor	-	-	-
On mode (W)	14.37	13.59	13.59
Standby mode (W)	0.5	0.5	0.5
Off mode (W)	0.3	0.3	0.3
Power supply	Internal	Internal	Internal
APPROVALS			
Energy Star	8.0	8.0	8.0
EPEAT	-	-	-
TCO Certified/TCO Certified Edge	-	8.0/-	-
Safety	TUV-GS	TUV-GS	TUV-GS
WHAT'S IN THE BOX			
Power cable included	1	1	1
VGA cable included	-	-	-
DVI cable included	-	-	-
HDMI cable included	1	1	1
DisplayPort cable included	-	-	-
Audio cable included	-	-	-
USB cable included	-	-	-

MODEL NUMBER	271V8L	271V8LA	272V8A	272V8LA
Screen size	27 inch/68.6 cm	27 inch /68.6 cm	27 inch/68.6 cm	27 inch/68.6 cm
PICTURE/DISPLAY				
LCD Panel type	VA	VA	IPS	VA
Backlighting	WLED	WLED	WLED	WLED
Optimum resolution	1920 x 1080@75Hz	1920 x 1080@75Hz	1920 x 1080@75Hz	1920 x 1080@75Hz
Aspect ratio	16:9	16:9	16:9	16:9
Viewing angle (CR10)	178/178	178/178	178/178	178/178
Brightness (cd/m ²)	250	250	250	250
Contrast ratio (typical)	3000:1	3000:1	1000:1	3000:1
Smart Contrast ratio	Mega Infinity DCR	Mega Infinity DCR	Mega Infinity DCR	Mega Infinity DCR
Smart Response time (ms)	4	4	4	4
Pixel pitch (mm)	0.3114 x 0.3114	0.3114 x 0.3114	0.311 x 0.311	0.3114 x 0.3114
Colour Gamut (NTSC/sRGB/AdobeRGB/DCI-P3)	-	-	-	-
CONNECTIVITY				
VGA / HDMI/Display Port	1/1/-	1/1/-	1/1/1	1/1/1
DVI	-	-	-	-
USB	-	-	-	-
USB-C	-	-	-	-
USB Docking	-	-	-	-
PC audio-in	-	Yes	Yes	Yes
Headphones out	Yes	-	Yes	Yes
FEATURES				
Speakers	-	Yes	Yes	Yes
Webcam/microphone	-	-	-	-
Multi view	-	-	-	-
Blue Mode	LowBlue	LowBlue	LowBlue	LowBlue
FlickerFree	Yes	Yes	Yes	Yes
PHYSICAL				
Smart Ergo Base	-	-	-	-
Height adjustment (mm)	-	-	-	-
Pivot (90 degree)	-	-	-	-
Swivel (degree)	-	-	-	-
Tilt (degree)	-5/20	-5/20	-5/20	-5/20
Weight with stand (kg)	3.94	3.96	3.8	4
Dimensions with stand W×H×D (mm)	613 x 456 x 231	613 x 456 x 231	613 x 456 x 231	613 x 456 x 231
Dimension without stand W×H×D (mm)	613 x 363 x 45	613 x 363 x 45	613 x 363 x 45	613 x 363 x 45
VESA mount (mm)	100 x 100	100 x 100	100 x 100	100 x 100
ENERGY EFFICIENCY				
Power/Light Sensor	-	-	-	-
On mode (W)	23.3	23.3	14.59	24.5
Standby mode (W)	0.5	0.5	0.5	0.5
Off mode (W)	0.3	0.3	0.5	0.3
Power supply	Internal	Internal	Internal	Internal
APPROVALS				
Energy Star	-	-	8.0	-
EPEAT	-	-	-	-
TCO Certified/TCO Certified Edge	-	-	8.0/-	-
Safety	TUV-GS	TUV-GS	TUV-GS	TUV-GS
WHAT'S IN THE BOX				
Power cable included	1	1	1	1
VGA cable included	-	-	-	-
DVI cable included	-	-	-	-
HDMI cable included	1	1	1	1
DisplayPort cable included	-	-	-	-
Audio cable included	-	-	-	-
USB cable included	-	-	-	-




MODEL NUMBER	346E2CUAE	345E2AE	288E2UAE	288E2A
Screen size	34 inch/86.36 cm	34 inch/83.4 cm	28 inch/71.1 cm	28 inch/71.1 cm
PICTURE/DISPLAY				
LCD Panel type	VA	IPS	IPS	IPS
Backlighting	WLED	WLED	WLED	WLED
Optimum resolution	3440 x 1440 @100Hz	3440 x 1440@75Hz	3840 x 2160@60Hz	3840 x 2160@60Hz
Aspect ratio	21:9	21:9	16:09	16:9
Viewing angle (CR10)	178/178	178/178	178/178	178/178
Brightness (cd/m ²)	300	300	300	300
Contrast ratio (typical)	3000:1	1000:1	1000:1	1000:1
Smart Contrast ratio	Mega Infinity DCR	Mega Infinity DCR	Mega Infinity DCR	Mega Infinity DCR
Smart Response time (ms)	4	4	4	4
Pixel pitch (mm)	110 PPI	0.2316 x 0.2316	0.16x0.16	0.164 x 0.164
Colour Gamut (NTSC/sRGB/AdobeRGB/DCI-P3)	99.5%/121.3%	106,8%/120.3%	106.9%/119.7%	106,9%/119,7%
CONNECTIVITY				
VGA/HDMI/Display Port	0/1/1	0/2/1	0/1/1	0/2/1
DVI	-	-	-	-
USB	-	-	-	-
USB-C	1	-	-	-
USB Docking	-	-	-	-
PC audio-in	-	-	-	-
Headphones out	Yes	Yes	Yes	Yes
FEATURES				
Speakers	Yes	Yes	Yes	Yes
Webcam/microphone	-	-	-	-
Multi view	Yes	Yes	YES	Yes
Blue Mode	LowBlue	LowBlue	LowBlue	LowBlue
FlickerFree	Yes	Yes	Yes	Yes
PHYSICAL SPECS/ERGONOMICS				
Smart Ergo Base	-	-	-	-
Height adjustment (mm)	100	100	100	-
Pivot (90 degree)	-	-	-	-
Swivel (degree)	-	-	-	-
Tilt (degree)	-5/20	-5/20	-5/20	-5/20
Weight with stand (kg)	10.05	7.61	5.59	5.59
Dimensions with stand W×H×D (mm)	807 x 495 x 257	817 x 491 x 235 mm	637 x 494 x 224	637 x 480 x 224
Dimension without stand W×H×D (mm)	807 x 367 x 110	817 x 365 x 49	637 x 367 x 41	637 x 367 x 4
VESA mount (mm)	100 x 100	100 x 100	100 x 100	100 x 100
ENERGY EFFICIENCY				
Power/Light Sensor	-	-	-	-
On mode (W)	31.81	26.09	27.6	27.6
Standby mode (W)	0,5	<0.5	0.5	<0.5
Off mode (W)	0.3	<0.3	0.3	<0.3
Power supply	Internal	External	External	External
APPROVALS				
Energy Star	8	8.0	8	8.0
EPEAT	-	-	-	-
TCO Certified/TCO Certified Edge	8.0/-	8.0 / -	8.0/-	8.0/-
Safety	GS	TUV Bauart	GS	TUV Bauart
WHAT'S IN THE BOX				
Power cable included	1	1	1	1
VGA cable included	-	-	-	-
DVI cable included	-	-	-	-
HDMI cable included	1	1	1	1
DisplayPort cable included	1	1	1	-
Audio cable included	-	-	-	-
USB cable included	1	-	-	-


MODEL NUMBER	272E2FA	275E2FAE	242E2FA	322E1C
Screen size	27 inch/68.6 cm	27 inch/68.6 cm	23.8 inch/60.5 cm	31.5 inch/80 cm
PICTURE/DISPLAY				
LCD Panel type	IPS	IPS	IPS	VA
Backlighting	WLED	WLED	WLED	WLED
Optimum resolution	1920 x 1080@75Hz	2560 x 1440@75Hz	1920 x 1080@75Hz	1920 x 1080@75Hz
Aspect ratio	16:9	16:9	16:9	16:9
Viewing angle (CR10)	178/178	178/178	178/178	178/178
Brightness (cd/m ²)	350	350	300	250
Contrast ratio (typical)	1000:1	1000:1	1000:1	3000:1
Smart Contrast ratio	Mega Infinity DCR	Mega Infinity DCR	Mega Infinity DCR	Mega Infinity DCR
Smart Response time (ms)	1	1	1	4
Pixel pitch (mm)	0.311 x 0.311	0.233 x 0.233	0.272 x 0.272	0.364 x 0.364
Colour Gamut (NTSC/sRGB/AdobeRGB/DCI-P3)	97,4%/113,1%	101,6%/115,6%	97,4%/113,8%	85%/104%
CONNECTIVITY				
VGA/HDMI/Display Port	1/1/1	0/2/1	1/1/1	1/1/1
DVI	-	-	-	-
USB	-	-	-	-
USB-C	-	-	-	-
USB Docking	-	-	-	-
PC audio-in	Yes	-	Yes	Yes
Headphones out	Yes	Yes	Yes	Yes
FEATURES				
Speakers	Yes	Yes	Yes	-
Webcam/microphone	-	-	-	-
Multi view	-	-	-	-
Blue Mode	LowBlue	LowBlue	LowBlue	LowBlue
FlickerFree	Yes	Yes	Yes	Yes
PHYSICAL SPECS/ERGONOMICS				
Smart Ergo Base	-	-	-	-
Height adjustment (mm)	-	100	-	-
Pivot (90 degree)	-	-	-	-
Swivel (degree)	-	-	-	-
Tilt (degree)	-5/20	-5/20	-5/20	-5/20
Weight with stand (kg)	4.76	5.23	3.45	7.1
Dimensions with stand W×H×D (mm)	614 x 462 x 234	614 x 475 x 234	540 x 428 x 187	709 x 523 x 281
Dimension without stand W×H×D (mm)	614 x 354 x 38	614 x 354 x 38	540 x 312 x 36	709 x 425 x 88
VESA mount (mm)	100 x 100	100 x 100	100 x 100	100 x 100
ENERGY EFFICIENCY				
Power/Light Sensor	-	-	-	-
On mode (W)	15.5	18.5	12.1	40.6
Standby mode (W)	<0.5	<0.5	<0.5	<0.5
Off mode (W)	<0.3	<0.3	<0.3	<0.3
Power supply	External	External	External	Internal
APPROVALS				
Energy Star	8.0	8.0	8.0	-
EPEAT	-	-	-	-
TCO Certified/TCO Certified Edge	8.0/-	8.0/-	8.0/-	-/-
Safety	TUV Bauart	TUV Bauart	TUV Bauart	TUV Bauart
WHAT'S IN THE BOX				
Power cable included	1	1	1	1
VGA cable included	-	-	-	1
DVI cable included	-	-	-	-
HDMI cable included	1	1	1	1
DisplayPort cable included	-	-	-	-
Audio cable included	-	-	-	-
USB cable included	-	-	-	-



MODEL NUMBER	325E1C	328E1CA	271E1SCA	271E1CA
Screen size	31.5 inch/80 cm	31.5 inch/80 cm	27 inch/68.6 cm	27 inch/68.6 cm
PICTURE/DISPLAY				
LCD Panel type	VA	VA	VA	VA
Backlighting	WLED	WLED	WLED	WLED
Optimum resolution	2560 x 1440@75Hz	3840 x 2160@60Hz	1920 x 1080@75Hz	1920 x 1080@75Hz
Aspect ratio	16:9	16:9	16:9	16:9
Viewing angle (CR10)	178/178	178/178	178/178	178/178
Brightness (cd/m ²)	250	250	250	250
Contrast ratio (typical)	3000:1	2500:1	3000:1	3000:1
Smart Contrast ratio	Mega Infinity DCR	Mega Infinity DCR	Mega Infinity DCR	Mega Infinity DCR
Smart Response time (ms)	4	4	4	4
Pixel pitch (mm)	0.272 x 0.272	0.182 x 0.182	0.311 x 0.311	0.311 x 0.311
Colour Gamut (NTSC/sRGB/AdobeRGB/DCI-P3)	102%/123%	97.8%/120.5%	83%/100%	83%/100%
CONNECTIVITY				
VGA/HDMI/Display Port	1/1/1	-/2/1	1/1/-	1/1/-
DVI	-	-	-	-
USB	-	-	-	-
USB-C	-	-	-	-
USB Docking	-	-	-	-
PC audio-in	Yes	-	Yes	Yes
Headphones out	Yes	Yes	Yes	Yes
FEATURES				
Speakers	-	Yes	Yes	Yes
Webcam/microphone	-	-	-	-
Multi view	-	-	-	-
Blue Mode	LowBlue	LowBlue	LowBlue	LowBlue
FlickerFree	Yes	Yes	Yes	Yes
PHYSICAL SPECS/ERGONOMICS				
Smart Ergo Base	-	-	-	-
Height adjustment (mm)	-	-	-	-
Pivot (90 degree)	-	-	-	-
Swivel (degree)	-	-	-	-
Tilt (degree)	-5/20	-5/20	-5/20	-5/20
Weight with stand (kg)	7.34	7.71	4.5	4.41
Dimensions with stand W×H×D (mm)	709 x 523 x 281	709 x 523 x 281	611 x 462 x 202	611 x 462 x 203
Dimension without stand W×H×D (mm)	709 x 425 x 88	709 x 425 x 88	611 x 367 x 43	611 x 367 x 43
VESA mount (mm)	100 x 100	100 x 100	100 x 100	100 x 100
ENERGY EFFICIENCY				
Power/Light Sensor	-	-	-	-
On mode (W)	47.3	49.3	33.2	32.2
Standby mode (W)	<0.5	<0.5	<0.5	0.5
Off mode (W)	<0.3	<0.3	<0.3	0.3
Power supply	Internal	Internal	External	External
APPROVALS				
Energy Star	-	-	-	-
EPEAT	-	-	-	-
TCO Certified/TCO Certified Edge	-/-	-/-	-/-	-/-
Safety	TUV Bauart	TUV Bauart	TUV Bauart	TUV Bauart
WHAT'S IN THE BOX				
Power cable included	1	1	1	1
VGA cable included	-	-	-	-
DVI cable included	-	-	-	-
HDMI cable included	1	1	1	1
DisplayPort cable included	-	1	-	*
Audio cable included	-	1	1	1
USB cable included	-	-	-	*



MODEL NUMBER	271E1SD	272E1GAJ	272E1GAEZ	272E1CA
Screen size	27 inch/68.6 cm	27 inch/68.6 cm	27 inch/68.6 cm	27 inch/68.6 cm
PICTURE/DISPLAY				
LCD Panel type	IPS	VA	VA	VA
Backlighting	WLED	WLED	WLED	WLED
Optimum resolution	1920 x 1080 @75Hz	1920 x 1080@144Hz	1920 x 1080@144Hz	1920 x 1080@75Hz
Aspect ratio	16:9	16:9	16:9	16:9
Viewing angle (CR10)	178/178	178/178	178/178	178/178
Brightness (cd/m ²)	300	350	350	250
Contrast ratio (typical)	1000:1	4000:1	4000:1	3000:1
Smart Contrast ratio	Mega Infinity DCR	Mega Infinity DCR	Mega Infinity DCR	Mega Infinity DCR
Smart Response time (ms)	1	1	1	4
Pixel pitch (mm)	0.311 x 0.311	0.311 x 0.311	0.311 x 0.311	0.311 x 0.311
Colour Gamut (NTSC/sRGB/AdobeRGB/DCI-P3)	86%/101%	96.1%/125.9%	96.1%/125.9%	83%/100%
CONNECTIVITY				
VGA/HDMI/Display Port	1/1/-	-/1/1	-/1/1	1/1/1
DVI	1	-	-	-
USB	-	-	-	-
USB-C	-	-	-	-
USB Docking	-	-	-	-
PC audio-in	-	-	-	Yes
Headphones out	Yes	Yes	Yes	Yes
FEATURES				
Speakers	-	Yes	Yes	Yes
Webcam/microphone	-	-	-	-
Multi view	-	-	-	-
Blue Mode	LowBlue	LowBlue	LowBlue	LowBlue
FlickerFree	Yes	Yes	Yes	Yes
PHYSICAL SPECS/ERGONOMICS				
Smart Ergo Base	-	-	-	-
Height adjustment (mm)	-	-	100	-
Pivot (90 degree)	-	-	-	-
Swivel (degree)	-	-	-	-
Tilt (degree)	-5/20	-5/20	-5/20	-5/20
Weight with stand (kg)	3.95	4.07	5.52	4.45
Dimensions with stand W×H×D (mm)	613 x 461 x 195	613 x 461 x 205	613 x 545 x 224	611 x 462 x 203
Dimension without stand W×H×D (mm)	613 x 368 x 42	613 x 368 x 42	613 x 368 x 41	611 x 367 x 43
VESA mount (mm)	100 x 100	100 x 100	100 x 100	100 x 100
ENERGY EFFICIENCY				
Power/Light Sensor	-	-	-	-
On mode (W)	26,5	28	32,2	38.8
Standby mode (W)	<0.5	0,3	0,5	<0.5
Off mode (W)	<0.3	0,3	0,3	<0.3
Power supply	External	External	External	External
APPROVALS				
Energy Star	-	-	-	-
EPEAT	-	-	-	-
TCO Certified/TCO Certified Edge	-/-	-/-	-/-	-/-
Safety	TUV Bauart	TUV GS	TUV GS	TUV Bauart
WHAT'S IN THE BOX				
Power cable included	1	1	1	1
VGA cable included	-	-	-	-
DVI cable included	-	-	-	-
HDMI cable included	1	1	1	1
DisplayPort cable included	-	1	1	-
Audio cable included	-	-	-	1
USB cable included	-	-	-	-



MODEL NUMBER	272E1SA	275E1S	278E1A	245E1S
Screen size	27 inch/68.6 cm	27 inch/68.6 cm	27 inch/68.6 cm	23.8 inch/60.5 cm
PICTURE/DISPLAY				
LCD Panel type	VA	VA	VA	IPS
Backlighting	WLED	WLED	WLED	WLED
Optimum resolution	1920 x 1080@144Hz	1920 x 1080@144Hz	1920 x 1080@75Hz	2560 x 1440@75Hz
Aspect ratio	16:9	16:9	16:9	16:9
Viewing angle (CR10)	178/178	178/178	178/178	178/178
Brightness (cd/m ²)	350	350	250	250
Contrast ratio (typical)	4000:1	4000:1	3000:1	1000:1
Smart Contrast ratio	Mega Infinity DCR	Mega Infinity DCR	Mega Infinity DCR	Mega Infinity DCR
Smart Response time (ms)	1	1	4	4
Pixel pitch (mm)	0.311 x 0.311	0.311 x 0.311	0.311 x 0.311	0.206 x 0.206
Colour Gamut (NTSC/sRGB/AdobeRGB/DCI-P3)	96.1%/125.9%	96.1%/125.9%	83%/100%	100%/117%
CONNECTIVITY				
VGA/HDMI/Display Port	-/1/1	-/1/1	1/1/1	1/1/1
DVI	-	-	-	-
USB	-	-	-	-
USB-C	-	-	-	-
USB Docking	-	-	-	-
PC audio-in	-	-	Yes	-
Headphones out	Yes	Yes	Yes	Yes
FEATURES				
Speakers	Yes	Yes	Yes	-
Webcam/microphone	-	-	-	-
Multi view	-	-	-	-
Blue Mode	LowBlue	LowBlue	LowBlue	LowBlue
FlickerFree	Yes	Yes	Yes	Yes
PHYSICAL SPECS/ERGONOMICS				
Smart Ergo Base	-	-	-	-
Height adjustment (mm)	-	100	-	-
Pivot (90 degree)	-	-	-	-
Swivel (degree)	-	-	-	-
Tilt (degree)	-5/20	-5/20	-5/20	-5/20
Weight with stand (kg)	4.07	5.52	4.45	3.24
Dimensions with stand W×H×D (mm)	613 x 461 x 205	613 x 545 x 224	611 x 462 x 203	540 x 414 x 195
Dimension without stand W×H×D (mm)	613 x 368 x 42	613 x 368 x 41	611 x 367 x 43	540 x 325 x 43
VESA mount (mm)	100 x 100	100 100	100 x 100	100 x 100
ENERGY EFFICIENCY				
Power/Light Sensor	-	-	-	-
On mode (W)	28	32,2	38.8	17,94
Standby mode (W)	0,3	0,5	<0.5	<0.5
Off mode (W)	0,3	0,3	<0.3	<0.3
Power supply	External	External	External	External
APPROVALS				
Energy Star	-	-	-	-
EPEAT	-	-	-	-
TCO Certified/TCO Certified Edge	-/-	-/-	-/-	-/-
Safety	TUV GS	TUV GS	TUV Bauart	TUV Bauart
WHAT'S IN THE BOX				
Power cable included	1	1	1	1
VGA cable included	-	-	-	-
DVI cable included	-	-	-	-
HDMI cable included	1	1	1	1
DisplayPort cable included	1	1	-	-
Audio cable included	-	-	1	-
USB cable included	-	-	-	-

242E1GAJ	242E1GAEZ	241E1SCA	241E1SC
23.8 inch/60.5 cm	23.8 inch/60.5 cm	23.6 inch/59.9 cm	23.6 inch/59.9 cm
PICTURE/DISPLAY			
IPS	IPS	IPS	IPS
WLED	WLED	WLED	WLED
1920 x 1080@75Hz	2560 x 1440@75Hz	3840 x 2160@60Hz	2560 x 1440@75Hz
16:9	16:9	16:9	16:9
178/178	178/178	178/178	178/178
300	250	350	250
1000:1	1000:1	1000:1	1000:1
Mega Infinity DCR	Mega Infinity DCR	Mega Infinity DCR	Mega Infinity DCR
1	4	4	4
0.311 x 0.311	0.233 x 0.233	0.155 x 0.155	0.206 x 0.206
86%/101%	93%/104%	91%/109%	100%/117%
CONNECTIVITY			
1/1/2001	1/1/1	-/2/1	1/1/1
-	-	-	-
-	-	-	-
-	-	-	-
Yes	-	Yes	-
Yes	Yes	Yes	Yes
FEATURES			
Yes	-	Yes	-
-	-	-	-
-	-	-	-
LowBlue	LowBlue	LowBlue	LowBlue
Yes	Yes	Yes	Yes
PHYSICAL SPECS/ERGONOMICS			
-	-	-	-
-	-	-	-
-	-	-	-
-	-	-	-
-5/20	-5/20	-5/20	-5/20
3.96	3.99	4.78	3.24
613 x 461 x 195	613 x 461 x 195	613 x 461 x 192	540 x 414 x 195
613 x 368 x 42	613 x 368 x 42	613 x 368 x 45	540 x 325 x 43
100 x 100	100 x 100	100 x 100	100 x 100
ENERGY EFFICIENCY			
-	-	-	-
26.5	23.11	20.22	17.94
<0.5	<0.5	<0.5	<0.5
<0.3	<0.3	<0.3	<0.3
External	External	External	External
APPROVALS			
-	-	8.0	-
-	-	-	-
-/-	-/-	-/-	-/-
TUV Bauart	TUV Bauart	TUV Bauart	TUV Bauart
WHAT'S IN THE BOX			
1	1	1	1
-	-	-	-
-	-	-	-
1	1	1	1
-	-	-	-
1	-	1	-
-	-	-	-



MODEL NUMBER	327E8QJAB	276E8VJSB	276E9QDSB	276E9QJAB
Screen size	31.5 inch/80 cm	27 inch/68.6 cm	27 inch/68.6 cm	27 inch/68.6 cm
PICTURE/DISPLAY				
LCD Panel type	IPS	IPS	IPS	IPS
Backlighting	WLED	WLED	WLED	WLED
Optimum resolution	1920 x 1080@75Hz	3840 x 2160@60Hz	1920 x 1080@75Hz	1920 x 1080@75Hz
Aspect ratio	16:9	16:9	16:9	16:9
Viewing angle (CR10)	178/178	178/178	178/178	178/178
Brightness (cd/m ²)	250	350	250	250
Contrast ratio (typical)	1200:1	1000:1	1000:1	1000:1
Smart Contrast ratio	Mega Infinity DCR	20M:1	20M:1	20M:1
Smart Response time (ms)	4	5	4	4
Pixel pitch (mm)	0.364 x 0.364	0.155 x 0.155	0.311 x 0.311	0.311 x 0.311
Colour Gamut (NTSC/sRGB/AdobeRGB/DCI-P3)	-	91%/109%	93%/124%	93%/124%
CONNECTIVITY				
VGA/HDMI/Display Port	1/1/1	-/2/1	1/1/-	1/1/1
DVI	-	-	1	-
USB	-	-	-	-
USB-C	-	-	-	-
USB Docking	-	-	-	-
PC audio-in	Yes	-	Yes	-
Headphones out	Yes	Yes	Yes	Yes
FEATURES				
Speakers	Yes	-	-	Yes
Webcam/microphone	-	-	-	-
Multi view	-	-	-	-
Blue Mode	-	LowBlue	LowBlue	LowBlue
FlickerFree	Yes	Yes	Yes	Yes
PHYSICAL SPECS/ERGONOMICS				
Smart Ergo Base	-	-	-	-
Height adjustment (mm)	-	-	-	-
Pivot (90 degree)	-	-	-	-
Swivel (degree)	-	-	-	-
Tilt (degree)	-5/20	-5/20	-5/20	-5/20
Weight with stand (kg)	6.88	4.84	3.97	3.99
Dimensions with stand W×H×D (mm)	731 x 529 x 255	613 x 466 x 189	614 x 465 x 220	614 x 465 x 220
Dimension without stand W×H×D (mm)	731 x 434 x 63	613 x 374 x 41	614 x 367 x 40	614 x 367 x 40
VESA mount (mm)	75 x 75	-	100 x 100	100 x 100
ENERGY EFFICIENCY				
Power/Light Sensor	-	-	-	-
On mode (W)	40.8	19.9	15.72	15.72
Standby mode (W)	<0.5	0.5	0.5	0.5
Off mode (W)	<0.3	0.3	0.5	0.5
Power supply	External	External	External	External
APPROVALS				
Energy Star	-	8.0	8.0	8.0
EPEAT	-	-	-	-
TCO Certified/TCO Certified Edge	-/-	8.0/-	-/-	-/-
Safety	TUV Bauart	TUV Bauart	TUV Bauart	TUV Bauart
WHAT'S IN THE BOX				
Power cable included	1	1	1	1
VGA cable included	1	-	-	1
DVI cable included	-	-	-	-
HDMI cable included	-	1	1	-
DisplayPort cable included	-	-	-	-
Audio cable included	1	-	-	1
USB cable included	-	-	-	-

246E9QDSB	246E9QJAB	248E9QHSB	226E9QSB	226E9QHAB
Screen size	23.8 inch/60.5 cm	23.8 inch/60.5 cm	23.6 inch/59.9 cm	21.5 inch/54.6 cm
PICTURE/DISPLAY				
LCD Panel type	IPS	IPS	VA	IPS
Backlighting	WLED	WLED	WLED	WLED
Optimum resolution	1920 x 1080@75Hz	1920 x 1080@75Hz	1920 x 1080@75Hz	1920 x 1080@60Hz
Aspect ratio	16:9	16:9	16:9	16:9
Viewing angle (CR10)	178/178	178/178	178/178	176/176
Brightness (cd/m ²)	250	250	250	250
Contrast ratio (typical)	1000:1	1000:1	3000:1	1000:1
Smart Contrast ratio	20M:1	20M:1	20M:1	20M:1
Smart Response time (ms)	5	5	4	5
Pixel pitch (mm)	0.275 x 0.275	0.275 x 0.275	0.272 x 0.272	0.248 x 0.248
Colour Gamut (NTSC/sRGB/AdobeRGB/DCI-P3)	108%/129%	108%/129%	102%/121%	-
CONNECTIVITY				
VGA/HDMI/Display Port	1/1/-	1/1/1	1/1/-	1/-/-
DVI	1	-	-	1
USB	-	-	-	-
USB-C	-	-	-	-
USB Docking	-	-	-	-
PC audio-in	-	Yes	-	-
Headphones out	Yes	Yes	Yes	-
FEATURES				
Speakers	-	Yes	-	-
Webcam/microphone	-	-	-	-
Multi view	-	-	-	-
Blue Mode	LowBlue	LowBlue	LowBlue	LowBlue
FlickerFree	Yes	Yes	Yes	Yes
PHYSICAL SPECS/ERGONOMICS				
Smart Ergo Base	-	-	-	-
Height adjustment (mm)	-	-	-	-
Pivot (90 degree)	-	-	-	-
Swivel (degree)	-	-	-	-
Tilt (degree)	-5/20	-5/20	-5/20	-5/20
Weight with stand (kg)	2.94	3.01	3.07	2.50
Dimensions with stand W×H×D (mm)	540 x 416 x 190	540 x 416 x 190	537 x 412 x 190	490 x 385 x 190
Dimension without stand W×H×D (mm)	540 x 326 x 39	540 x 326 x 39	537 x 325 x 37	490 x 297 x 35
VESA mount (mm)	100 x 100	100 x 100	100 x 100	75 x 75
ENERGY EFFICIENCY				
Power/Light Sensor	-	-	-	-
On mode (W)	12.25	12.25	31.3	15.6
Standby mode (W)	<0.5	<0.5	<0.5	<0.5
Off mode (W)	<0.3	<0.3	<0.3	<0.3
Power supply	External	External	External	External
APPROVALS				
Energy Star	8.0	8.0	-	-
EPEAT	-	-	-	-
TCO Certified/TCO Certified Edge	-/-	-/-	-/-	-/-
Safety	TUV Bauart	TUV Bauart	TUV Bauart	TUV Bauart
WHAT'S IN THE BOX				
Power cable included	1	1	1	1
VGA cable included	-	-	-	1
DVI cable included	-	-	-	-
HDMI cable included	1	1	1	1
DisplayPort cable included	-	-	-	-
Audio cable included	-	-	-	-
USB cable included	-	-	-	-



MODEL NUMBER	276C8	279C9	559M1RYV	558M1RY
Screen size	27 inch/68.47 cm	27 inch/68.6cm	55 inch/193.7 cm	55 inch/193.7 cm
PICTURE/DISPLAY				
LCD Panel type	IPS	IPS	VA	VA
Backlighting	WLED	WLED	WLED	WLED
Optimum resolution	2560 x 1440@75Hz	3840 x 2160@60Hz	3840 x 2160@120Hz	3840 x 2160@120Hz
Aspect ratio	16:9	16:9	16:9	16:9
Viewing angle (CR10)	178/178	178/178	178/178	178/178
Brightness (cd/m2)	350	400	1000	1200
Contrast ratio (typical)	1000:1	1300:1	4000:1	4000:1
Smart Contrast ratio	Mega Infinity DCR	Mega Infinity DCR	Mega Infinity DCR	Mega Infinity DCR
Smart Response time (ms)	4	5	1	1
Pixel pitch (mm)	0.233 x 0.233	0.1554 x 0.1554	0.315 x 0.315	0.315 x 0.315
Colour Gamut (NTSC/sRGB/AdobeRGB/DCI-P3)	114%/131%	100%/112%	TBC	105%/125%
CONNECTIVITY				
VGA/HDMI/Display Port	-/2/-	-/2/-	-/3/1	-/3/1
DVI	-	-	-	-
USB	-	4	4	4
USB-C	1	1	1	-
USB Docking	-	-	-	-
PC audio-in	-	-	-	-
Headphones out	Yes	Yes	Yes	Yes
FEATURES				
Speakers	-	-	Yes	Yes
Webcam/microphone	-	-	-	-
Multi view	-	-	TBC	Yes
Blue Mode	LowBlue	LowBlue	LowBlue	LowBlue
FlickerFree	Yes	Yes	Yes	Yes
PHYSICAL SPECS/ERGONOMICS				
Smart Ergo Base	-	-	-	-
Height adjustment (mm)	-	130	-	-
Pivot (90 degree)	-	Yes	-	-
Swivel (degree)	-	-85/85	-	-
Tilt (degree)	-5/20	-5/20	-5/10	-5/10
Weight with stand (kg)	4.26	5.85	TBC	26.5
Dimensions with stand W×H×D (mm)	611 x 455 x 185	612 x 527 x 218	TBC	1232 x 834 x 308
Dimension without stand W×H×D (mm)	611 x 362 x 20	612 x 353 x 39	TBC	1232 x 715 x 102
VESA mount (mm)	-	100 x 100	200 x 200	200 x 200
ENERGY EFFICIENCY				
Power/Light Sensor	-	-	-	-
On mode (W)	21.58	25.72	TBC	122.9
Standby mode (W)	0.5	0.5	<0.5	<0.5
Off mode (W)	0.3	0.3	<0.3	<0.3
Power supply	External	External	Internal	Internal
APPROVALS				
Energy Star	-	8.0	-	-
EPEAT	-	-	-	-
TCO Certified/TCO Certified Edge	8.0/Yes	-/-	-/-	-/-
Safety	TUV GS	TUV GS	TUV Bauart	TUV Bauart
WHAT'S IN THE BOX				
Power cable included	1	1	1	1
VGA cable included	-	1	-	-
DVI cable included	-	-	-	-
HDMI cable included	1	1	1	1
DisplayPort cable included	-	1	1	1
Audio cable included	-	-	-	-
USB cable included	USB C to C	USB C to C	1	1



329M1RV	279M1RV	278M1R	436M6VBPAB	326M6VJRM
31.5 inch/80 cm	27 inch/68.6 cm	27 inch/68.6 cm	43 inch/108 cm	31.5 inch/80 cm
PICTURE/DISPLAY				
IPS	IPS	IPS	MVA	MVA
WLED	WLED	WLED	WLED	WLED
3840 x 2160@144Hz	3840 x 2160@144Hz	3840 x 2160@60Hz	3840 x 2160@60Hz	3840 x 2160@60Hz
16:9	16:9	16:9	16:9	16:9
178/178	178/178	178/178	178/178	178/178
TBC	450	350	1000	600
TBC	1000:1	1000:1	4000:1	3000:1
TBC	Mega Infinity DCR	Mega Infinity DCR	50M:1	80M:1
1	1	1	4	4
		0.1554 x 0.1554	0.245 x 0.245	0.181 x 0.181
TBC	TBC	91%/105%/89%/TBC	119%/145%	114%/135%
CONNECTIVITY				
-/3/1	-/3/1	-/2/1	-/1/2	-/3/1
		-	-	-
4	4	4	2	4
1	1	-	1	-
-	-	-	-	-
-	-	Yes	Yes	Yes
Yes	Yes	Yes	Yes	Yes
FEATURES				
Yes	Yes	Yes	Yes	Yes
		-	-	-
TBC	TBC	Yes	Yes	Yes
LowBlue	LowBlue	LowBlue	LowBlue	LowBlue
Yes	Yes	Yes	Yes	Yes
PHYSICAL SPECS/ERGONOMICS				
		-	-	-
130	130	130	-	110
		-	-	-
TBC	TBC	-33/33	-	-
TBC	TBC	-5/20	-5/10	-5/20
		6.74	14.71	7.21
		614 x 567 x 251	976 x 661 x 264	728 x 604 x 206
		614 x 370 x 75	976 x 574 x 63	728 x 432 x 58
100 x 100	100 x 100	100 x 100	200 x 200	100 x 100
ENERGY EFFICIENCY				
		-	-	-
TBC	TBC	35.1	62.69	40.57
<0.5	<0.5	<0.5	0.5	<0.5
<0.3	<0.3	<0.3	0.5	<0.3
External	External	External	Internal	External
APPROVALS				
-	-	-	-	-
-	-	-	-	-
-/-	-/-	8.0/-	-/-	8.0/-
TUV Bauart	TUV Bauart	TUV Bauart	TUV Bauart	TUV Bauart
WHAT'S IN THE BOX				
1	1	1	1	1
-	-	-	-	-
-	-	-	-	-
1	1	1	1	1
1	1	1	1	1
-	-	-	-	-
1	1	-	2	-

